

## Super Blue Ribbon® V-Belt

- **THE FINEST WRAPPED BELT IN THE INDUSTRY**
- **SUPER RATED AT STANDARD PRICES**
- **chekmate™ MATCHING**


**Recommended Pulleys**  
Carlisle QD Type  
(B, C, D)

The double fabric cover construction means longer, more dependable performance. It provides positive flex fatigue characteristics and extends load life capacity. Resistance to oil, heat, weather and aggressive environmental conditions is outstanding.

Carlisle Super Blue Ribbon V-Belts operate within a wide range of load capacities and speeds — with rated performance from 100 to 8,000 RPM with horsepower capability from 1 to 1,100 horsepower.


Super Blue Ribbon is the ideal choice for dependable performance on an extremely wide range of applications — A, B, C, D, and E sections — single or multiple drive.

**COVER:** The double fabric cover not only protects the core; but, its extra flexibility permits the belt to bend more easily around the smallest pulleys with far less strain on the fabric. Longer belt life means less frequent replacement, less downtime and lower maintenance costs. It's a smoother running belt.



**CORD:** The cord is coated with a special compound that produces a secure, long-lasting bond with the surrounding rubber to assure longer life without separation problems. In addition, Blue Ribbon's dependable length stability means the belt requires significantly less re-tensioning and take-up.

**PLUS:** Carlisle's famous Ironclad Guarantee which assures your Carlisle V-Belt will last longer, reduce maintenance and cut downtime. Carlisle guarantees it!



## Super Blue Ribbon® V-Belt (continued)

Part No.	Outside Length (inches)	Metric No.	Wt. (lbs.)
----------	-------------------------	------------	------------

Part No.	Outside Length (inches)	Metric No.	Wt. (lbs.)
----------	-------------------------	------------	------------

**AP Section**  
Recommended Pulleys: QD Type (BQ)

AP21	23.3	13C585	0.1
AP22	24.3	13C610	0.1
AP23	25.3	13C635	0.2
AP24	26.3	13C665	0.2
AP25	27.3	13C690	0.2
AP26	28.3	13C715	0.2
AP27	29.3	13C740	0.2
AP28	30.3	13C765	0.2
AP29	31.3	13C790	0.2
AP30	32.3	13C815	0.2
AP31	33.3	13C840	0.2
AP32	34.3	13C865	0.2
AP33	35.3	13C890	0.2
AP34	36.3	13C915	0.2
AP35	37.3	13C940	0.2
AP36	38.3	13C965	0.2
AP37	39.3	13C995	0.2
AP38	40.3	13C1020	0.2
AP39	41.3	13C1045	0.3
AP40	42.3	13C1070	0.3
AP41	43.3	13C1095	0.3
AP42	44.3	13C1120	0.3
AP43	45.3	13C1145	0.3
AP44	46.3	13C1170	0.3
AP45	47.3	13C1195	0.3
AP46	48.3	13C1220	0.3
AP47	49.3	13C1245	0.3
AP48	50.3	13C1270	0.3
AP49	51.3	13C1300	0.3
AP50	52.3	13C1325	0.3
AP51	53.3	13C1350	0.3
AP52	54.3	13C1375	0.3
AP53	55.3	13C1400	0.3
AP54	56.3	13C1425	0.3
AP55	57.3	13C1450	0.4
AP56	58.3	13C1475	0.4
AP57	59.3	13C1500	0.4
AP58	60.3	13C1525	0.4
AP59	61.3	13C1550	0.4
AP60	62.3	13C1575	0.4
AP61	63.3	13C1600	0.4
AP62	64.3	13C1630	0.4
AP63	65.3	13C1655	0.4
AP64	66.3	13C1680	0.4
AP65	67.3	13C1705	0.4
AP66	68.3	13C1730	0.4
AP67	69.3	13C1755	0.4
AP68	70.3	13C1780	0.4
AP69	71.3	13C1805	0.4
AP70	72.3	13C1830	0.4
AP71	73.3	13C1855	0.5
AP72	74.3	13C1880	0.5
AP73	75.3	13C1905	0.5
AP74	76.3	13C1935	0.5
AP75	77.3	13C1960	0.5
AP76	78.3	13C1985	0.5
AP77	79.3	13C2010	0.5

**AP Section**  
Recommended Pulleys: QD Type (BQ)

AP78	80.3	13C2035	0.5
AP79	81.3	13C2060	0.5
AP80	82.3	13C2085	0.5
AP81	83.3	13C2110	0.5
AP82	84.3	13C2135	0.5
AP83	85.3	13C2160	0.5
AP84	86.3	13C2185	0.5
AP85	87.3	13C2210	0.5
AP86	8.3	13C2235	0.5
AP87	89.3	13C2265	0.5
AP88	90.3	13C2290	0.6
AP89	91.3	13C2315	0.6
AP90	92.3	13C2340	0.6
AP91	93.3	13C2365	0.6
AP92	94.3	13C2390	0.6
AP93	95.3	13C2415	0.6
AP94	96.3	13C2440	0.6
AP95	97.3	13C2465	0.6
AP96	98.3	13C2490	0.6
AP97	99.3	13C2515	0.6
AP98	100.3	13C2540	0.6
AP99	101.3	13C2570	0.6
AP100	102.3	13C2595	0.6
AP101	103.3	13C2620	0.6
AP102	104.3	13C2645	0.6
AP103	105.3	13C2670	0.6
AP104	106.3	13C2695	0.7
AP105	107.3	13C2720	0.7
AP108	110.3	13C2795	0.7
AP110	112.3	13C2845	0.7
AP112	114.3	13C2900	0.7
AP114	116.3	13C2950	0.7
AP115	117.3	13C2975	0.7
AP118	120.3	13C3050	0.7
AP120	122.3	13C3100	0.8
AP124	126.3	13C3205	0.8
AP125	127.3	13C3230	0.8
AP127	129.3	13C3280	0.8
AP128	130.3	13C3305	0.8
AP130	132.3	13C3355	0.8
AP134	136.3	13C3455	0.8
AP136	138.3	13C3505	0.9
AP140	142.3	13C3610	1.0
AP144	146.3	13C3710	1.0
AP158	160.3	13C4065	1.1
AP173	175.3	13C4445	1.2
AP180	182.3	13C4625	1.3
AP220	222.3	13C5640	1.4

**BP Section**  
Recommended Pulleys: QD Type (BQ)

BP24	26.8	16C685	0.3
BP25	27.8	16C710	0.3
BP26	28.8	16C735	0.3
BP27	29.8	16C760	0.3
BP28	30.8	16C785	0.3
BP29	31.8	16C810	0.3

## Super Blue Ribbon® V-Belt (continued)

Part No.	Outside Length (inches)	Metric No.	Wt. (lbs.)
----------	-------------------------	------------	------------

**BP Section**  
Recommended Pulleys: QD Type (BQ)

BP30	32.8	16C835	0.3
BP31	33.8	16C860	0.3
BP32	34.8	16C885	0.3
BP33	35.8	16C910	0.3
BP34	36.8	16C935	0.3
BP35	37.8	16C965	0.4
BP36	38.8	16C990	0.4
BP37	39.8	16C1015	0.4
BP38	40.8	16C1040	0.4
BP39	41.8	16C1065	0.4
BP40	42.8	16C1090	0.4
BP41	43.8	16C1115	0.4
BP42	44.8	16C1140	0.4
BP43	45.8	16C1165	0.4
BP44	46.8	16C1190	0.5
BP45	47.8	16C1215	0.5
BP46	48.8	16C1240	0.5
BP47	49.8	16C1265	0.5
BP48	50.8	16C1295	0.5
BP49	51.8	16C1320	0.5
BP50	52.8	16C1345	0.5
BP51	53.8	16C1370	0.5
BP52	54.8	16C1395	0.5
BP53	55.8	16C1420	0.5
BP54	56.8	16C1445	0.5
BP55	57.8	16C1470	0.6
BP56	58.8	16C1495	0.6
BP57	59.8	16C1520	0.6
BP58	60.8	16C1545	0.6
BP59	61.8	16C1570	0.6
BP60	62.8	16C1600	0.6
BP61	63.8	16C1625	0.6
BP62	64.8	16C1650	0.6
BP63	65.8	16C1675	0.6
BP64	66.8	16C1700	0.6
BP65	67.8	16C1725	0.7
BP66	68.8	16C1750	0.7
BP67	69.8	16C1775	0.7
BP68	70.8	16C1800	0.7
BP69	71.8	16C1825	0.7
BP70	72.8	16C1850	0.7
BP71	73.8	16C1875	0.7
BP72	74.8	16C1900	0.8
BP73	75.8	16C1930	0.8
BP74	76.8	16C1955	0.8
BP75	77.8	16C1980	0.8
BP76	78.8	16C2005	0.8
BP77	79.8	16C2030	0.8
BP78	80.8	16C2055	0.8
BP79	81.8	16C2080	0.8
BP80	82.8	16C2105	0.8
BP81	83.8	16C2130	0.8
BP82	84.8	16C2155	0.9
BP83	85.8	16C2180	0.9
BP84	86.8	16C2205	0.9
BP85	87.8	16C2235	0.9
BP86	88.8	16C2260	0.9
BP87	89.8	16C2285	0.9

Part No.	Outside Length (inches)	Metric No.	Wt. (lbs.)
----------	-------------------------	------------	------------

**BP Section**  
Recommended Pulleys: QD Type (BQ)

BP88	90.8	16C2310	0.9
BP89	91.8	16C2335	0.9
BP90	92.8	16C2360	0.9
BP91	93.8	16C2385	0.9
BP92	94.8	16C2410	1.0
BP93	95.8	16C2435	1.0
BP94	96.8	16C2460	1.0
BP95	97.8	16C2485	1.0
BP96	98.8	16C2510	1.0
BP97	99.8	16C2535	1.0
BP98	100.8	16C2565	1.0
BP99	101.8	16C2590	1.0
BP100	102.8	16C2615	1.0
BP101	103.8	16C2640	1.1
BP102	104.8	16C2665	1.1
BP103	105.8	16C2690	1.1
BP104	106.8	16C2715	1.1
BP105	107.8	16C2740	1.1
BP106	108.8	16C2765	1.1
BP107	109.8	16C2790	1.1
BP108	110.8	16C2815	1.1
BP109	111.8	16C2840	1.1
BP110	112.8	16C2870	1.2
BP111	113.8	16C2895	1.2
BP112	114.8	16C2920	1.2
BP114	116.8	16C2970	1.2
BP115	117.8	16C2995	1.2
BP116	118.8	16C3020	1.2
BP117	119.8	16C3045	1.2
BP118	120.8	16C3070	1.2
BP119	121.8	16C3095	1.2
BP120	122.8	16C3120	1.2
BP123	125.8	16C3200	1.3
BP124	126.8	16C3225	1.4
BP125	127.8	16C3250	1.4
BP126	128.8	16C3275	1.4
BP128	130.8	16C3325	1.4
BP130	132.8	16C3375	1.5
BP132	134.8	16C3425	1.5
BP133	135.8	16C3450	1.5
BP134	136.8	16C3475	1.5
BP135	137.8	16C3505	1.5
BP136	138.8	16C3530	1.5
BP138	140.8	16C3580	1.5
BP140	142.8	16C3630	1.5
BP141	143.8	16C3655	1.5
BP142	144.8	16C3680	1.6
BP144	146.8	16C3730	1.6
BP146	148.8	16C3780	1.6
BP148	150.8	16C3835	1.6
BP150	152.8	16C3885	1.6
BP152	154.8	16C3935	1.6
BP154	156.8	16C3985	1.6
BP156	158.8	16C4035	1.6
BP157	159.8	16C4060	1.6
BP158	160.8	16C4085	1.6
BP160	162.8	16C4140	1.6
BP161	163.8	16C4165	1.7

## Super Blue Ribbon® V-Belt (continued)

Part No.	Outside Length (inches)	Metric No.	Wt. (lbs.)
----------	-------------------------	------------	------------

Part No.	Outside Length (inches)	Metric No.	Wt. (lbs.)
----------	-------------------------	------------	------------

**BP Section**  
Recommended Pulleys: QD Type (BQ)

BP162	164.8	16C4190	1.7
BP164	166.8	16C4240	1.7
BP165	167.8	16C4265	1.7
BP168	170.8	16C4340	1.8
BP170	172.8	16C4390	1.8
BP172	174.8	16C4440	1.8
BP173	175.8	16C4470	1.8
BP175	177.8	16C4520	1.8
BP176	178.8	16C4545	1.8
BP180	182.8	16C4645	1.8
BP182	184.8	16C4695	1.8
BP184	186.8	16C4745	1.8
BP190	192.8	16C4900	1.8
BP191	193.8	16C4925	2.0
BP195	197.8	16C5025	2.0
BP198	200.8	16C5105	2.0
BP203	205.8	16C5230	2.0
BP205	207.8	16C5280	2.0
BP210	212.8	16C5410	2.1
BP214	216.8	16C5510	2.1
BP220	222.8	16C5660	2.3
BP221	223.8	16C5685	2.3
BP225	226.3	16C5750	2.3
BP228	229.3	16C5825	2.3
BP240	241.3	16C6130	2.4
BP250	251.3	16C6385	2.5
BP253	254.3	16C6460	2.5
BP255	256.3	16C6515	2.6
BP265	266.3	16C6765	2.7
BP270	271.3	16C6895	2.7
BP280	281.3	16C7150	2.8
BP285	286.3	16C7275	2.9
BP300	301.3	16C7655	3.0
BP315	316.3	16C8035	3.2
BP330	331.3	16C8420	3.3
BP360	361.3	16C9180	3.6
BP361	362.3	16C9205	3.6
BP364	365.3	16C9280	3.6
BP433	434.3	16C11035	4.3
BP443	444.3	16C11290	4.4
BP512	513.3	16C13040	5.1
BP543	544.3	16C13830	5.4
BP553	554.3	16C14080	5.5

**CP Section**  
Recommended Pulleys: QD Type (CQ)

CP46	50.2	22C1275	1.0
CP50	54.2	22C1375	1.0
CP51	55.2	22C1400	1.0
CP53	57.2	22C1450	1.1
CP54	58.2	22C1475	1.1
CP55	59.2	22C1505	1.1
CP56	60.2	22C1530	1.1
CP57	61.2	22C1555	1.2
CP58	62.2	22C1580	1.2
CP60	64.2	22C1630	1.2
CP61	65.2	22C1655	1.2

**CP Section**  
Recommended Pulleys: QD Type (CQ)

CP63	67.2	22C1705	1.2
CP64	68.2	22C1730	1.3
CP65	69.2	22C1755	1.3
CP66	70.2	22C1780	1.3
CP67	71.2	22C1805	1.3
CP68	72.2	22C1835	1.3
CP69	73.2	22C1860	1.3
CP70	74.2	22C1885	1.4
CP71	75.2	22C1910	1.4
CP72	76.2	22C1935	1.4
CP73	77.2	22C1960	1.4
CP74	78.2	22C1985	1.4
CP75	79.2	22C2010	1.4
CP76	80.2	22C2035	1.4
CP77	81.2	22C2060	1.5
CP78	82.2	22C2085	1.5
CP79	83.2	22C2110	1.5
CP80	84.2	22C2140	1.5
CP81	85.2	22C2165	1.5
CP82	86.2	22C2190	1.5
CP83	87.2	22C2215	1.5
CP84	88.2	22C2240	1.6
CP85	89.2	22C2265	1.6
CP86	90.2	22C2290	1.6
CP87	91.2	22C2315	1.6
CP88	92.2	22C2340	1.7
CP89	93.2	22C2365	1.7
CP90	94.2	22C2390	1.7
CP91	95.2	22C2415	1.7
CP92	96.2	22C2440	1.7
CP93	97.2	22C2470	1.8
CP94	98.2	22C2495	1.8
CP95	99.2	22C2520	1.8
CP96	100.2	22C2545	1.8
CP97	101.2	22C2570	1.9
CP98	102.2	22C2595	1.9
CP99	103.2	22C2620	1.9
CP100	104.2	22C2645	1.9
CP101	105.2	22C2670	1.9
CP102	106.2	22C2695	1.9
CP103	107.2	22C2720	2.0
CP104	108.2	22C2745	2.0
CP105	109.2	22C2775	2.0
CP106	110.2	22C2800	2.0
CP107	111.2	22C2825	2.0
CP108	112.2	22C2850	2.0
CP109	113.2	22C2875	2.0
CP110	114.2	22C2900	2.1
CP111	115.2	22C2925	2.1
CP112	116.2	22C2950	2.1
CP113	117.2	22C2975	2.1
CP114	118.2	22C3000	2.2
CP115	119.2	22C3025	2.2
CP116	120.2	22C3050	2.2
CP117	121.2	22C3075	2.2
CP118	122.2	22C3105	2.2
CP119	123.2	22C3130	2.2
CP120	124.2	22C3155	2.2

## Super Blue Ribbon® V-Belt (continued)

Part No.	Outside Length (inches)	Metric No.	Wt. (lbs.)
----------	-------------------------	------------	------------

**CP Section**  
Recommended Pulleys: QD Type (CQ)

CP121	125.2	22C3180	2.2
CP122	126.2	22C3205	2.2
CP123	127.2	22C3230	2.3
CP124	128.2	22C3255	2.3
CP125	129.2	22C3280	2.4
CP126	130.2	22C3305	2.4
CP127	131.2	22C3330	2.4
CP128	132.2	22C3355	2.5
CP129	133.2	22C3380	2.5
CP130	134.2	22C3410	2.5
CP131	135.2	22C3435	2.5
CP132	136.2	22C3460	2.5
CP133	137.2	22C3485	2.6
CP134	138.2	22C3510	2.6
CP135	139.2	22C3535	2.6
CP136	140.2	22C3560	2.6
CP137	141.2	22C3585	2.7
CP138	142.2	22C3610	2.7
CP139	143.2	22C3635	2.7
CP141	145.3	22C3685	2.7
CP142	146.3	22C3710	2.7
CP143	147.3	22C3740	2.8
CP144	148.2	22C3765	2.8
CP145	149.2	22C3790	2.8
CP146	150.2	22C3815	2.8
CP147	151.2	22C3840	2.8
CP148	152.2	22C3865	2.8
CP149	153.2	22C3890	2.9
CP150	154.2	22C3915	3.0
CP151	155.2	22C3940	3.0
CP152	156.2	22C3965	3.0
CP153	157.2	22C3990	3.0
CP154	158.2	22C4015	3.0
CP155	159.2	22C4045	3.0
CP156	160.2	22C4070	3.0
CP157	161.2	22C4095	3.0
CP158	162.2	22C4120	3.0
CP159	163.2	22C4145	3.0
CP160	164.2	22C4170	3.0
CP161	165.2	22C4195	3.0
CP162	166.2	22C4220	3.1
CP163	167.2	22C4245	3.1
CP164	168.2	22C4270	3.1
CP165	169.2	22C4295	3.1
CP166	170.2	22C4320	3.1
CP167	171.2	22C4345	3.2
CP168	172.2	22C4375	3.2
CP169	173.2	22C4400	3.2
CP170	174.2	22C4425	3.3
CP171	175.2	22C4450	3.3
CP172	176.2	22C4475	3.3
CP173	177.2	22C4500	3.3
CP174	178.2	22C4525	3.4
CP175	179.2	22C4550	3.4
CP176	180.2	22C4575	3.4
CP178	181.2	22C4625	3.4
CP180	184.2	22C4680	3.4
CP181	185.2	22C4705	3.5

Part No.	Outside Length (inches)	Metric No.	Wt. (lbs.)
----------	-------------------------	------------	------------

**CP Section**  
Recommended Pulleys: QD Type (CQ)

CP182	186.2	22C4730	3.5
CP183	187.2	22C4755	3.5
CP184	188.2	22C4780	3.5
CP185	189.2	22C4805	3.5
CP186	190.2	22C4830	3.6
CP187	191.2	22C4855	3.6
CP188	192.2	22C4880	3.6
CP189	193.2	22C4905	3.6
CP190	194.2	22C4930	3.6
CP193	197.2	22C5010	3.6
CP194	198.2	22C5035	3.7
CP195	199.2	22C5060	3.7
CP196	200.2	22C5085	3.7
CP198	202.2	22C5135	3.7
CP200	204.2	22C5185	3.9
CP204	208.2	22C5285	3.9
CP205	209.2	22C5315	3.9
CP208	212.2	22C5390	4.0
CP210	214.2	22C5440	4.0
CP215	219.2	22C5565	4.1
CP218	222.2	22C5645	4.2
CP220	224.2	22C5695	4.2
CP225	227.2	22C5770	4.3
CP228	230.2	22C5845	4.3
CP230	232.2	22C5895	4.4
CP235	237.2	22C6025	4.4
CP240	242.2	22C6150	4.5
CP245	247.2	22C6280	4.6
CP248	250.2	22C6355	4.7
CP250	252.2	22C6405	4.7
CP255	257.2	22C6530	4.8
CP260	262.2	22C6660	4.8
CP264	266.2	22C6760	4.9
CP265	267.2	22C6785	5.0
CP269	271.2	22C6885	5.1
CP270	272.2	22C6915	5.1
CP275	277.2	22C7040	5.2
CP276	278.2	22C7065	5.2
CP280	282.2	22C7165	5.3
CP285	287.2	22C7295	5.4
CP290	292.2	22C7420	5.5
CP297	299.2	22C7600	5.7
CP300	302.2	22C7675	5.7
CP314	316.2	22C8030	5.9
CP315	317.2	22C8055	5.9
CP330	332.2	22C8435	6.2
CP340	342.2	22C8690	6.4
CP345	347.2	22C8820	6.5
CP360	362.2	22C9200	6.8
CP390	392.2	22C9960	7.4
CP420	422.2	22C10725	7.9

## Super Blue Ribbon® V-Belt (continued)

Part No.	Outside Length (inches)	Metric No.	Wt. (lbs.)
----------	-------------------------	------------	------------

### DP Section

Recommended Pulleys: QD Type (DQ)

DP88	93.2	32C2365	3.2
DP104	109.2	32C2775	3.7
DP108	113.2	32C2875	3.9
DP112	117.2	32C2975	4.0
DP120	125.2	32C3180	4.3
DP128	133.2	32C3385	4.5
DP132	137.2	32C3485	4.7
DP135	140.2	32C3560	4.8
DP136	141.2	32C3585	4.9
DP144	149.2	32C3790	5.1
DP152	157.2	32C3990	5.3
DP158	163.2	32C4145	5.5
DP160	165.2	32C4195	5.6
DP162	167.2	32C4245	5.7
DP164	169.2	32C4295	5.8
DP165	170.2	32C4325	5.8
DP166	171.2	32C4350	5.9
DP170	175.2	32C4450	5.9
DP171	176.2	32C4475	6.0
DP173	178.2	32C4525	6
DP180	185.2	32C4705	6.3
DP195	200.2	32C5085	6.8
DP210	215.2	32C5465	7.3
DP225	227.7	32C5785	7.7
DP230	232.7	32C5910	7.8
DP240	242.7	32C6165	8.3
DP255	257.7	32C6545	8.8
DP260	262.7	32C6670	8.9
DP270	272.7	32C6925	9.3
DP285	287.7	32C7305	9.8
DP300	302.7	32C7690	10.3
DP315	317.7	32C8070	10.8
DP330	332.7	32C8450	11.3
DP345	347.7	32C8830	11.8
DP360	362.7	32C9210	12.4
DP390	392.7	32C9975	13.4
DP420	422.7	32C10735	14.4
DP450	452.7	32C11500	15.4
DP480	482.7	32C12260	16.5
DP540	542.7	32C13785	18.5
DP600	602.7	32C15310	20.6
DP660	662.7	32C16830	22.6

### EP Section

Recommended Pulleys: †See note below

*EP144	151	39C3835	8.0
*EP180	187	39C4750	9.9
*EP195	202	39C5130	10.7
*EP210	217	39C5515	11.5
*EP225	232	39C5805	12.1
*EP240	244	39C6185	12.9
*EP270	274	39C6950	14.5
*EP300	304	39C7710	16.1
*EP330	334	39C8470	17.7
*EP360	364	39C9235	19.3
*EP390	394	39C9995	20.1

Part No.	Outside Length (inches)	Metric No.	Wt. (lbs.)
----------	-------------------------	------------	------------

### EP Section

Recommended Pulleys: †See note below

*EP420	424	39C10760	22.6
*EP441	445	39C11290	23.7
*EP480	484	39C12280	25.8
*EP540	544	39C13805	29.0
*EP600	604	39C15330	32.2
*EP660	664	39C16855	35.4

\* E-section belts are subject to minimum order quantities. Contact Carlisle

† E-section belts are sold for replacement only. Carlisle recommends a re-design of the drive when your E section pulleys reach the end of their useful life.



**Call or Email  
Maumee Hose & Belting  
for Pricing**

Ph. 419-893-7272 • Fax 419-893-4744  
720 Illinois Avenue • Maumee, Ohio 43537 USA  
Email: [info@maumeehose.com](mailto:info@maumeehose.com)  
Web: [www.maumeehose.com](http://www.maumeehose.com)