



## Vee-Rib™ Belt

- **VIBRATION-FREE**
- **HEAT RESISTANT**
- **MAXIMUM FLEXIBILITY**
- **HIGH HORSEPOWER**
- **ABRASION RESISTANT**

The Carlisle Vee-Rib belt is ideally suited for high speed, and or high drive ratio applications that conventional V-belts just can't handle. The Carlisle Vee-Rib belt offers smooth, vibration-free performance in a single, compact drive belt.

Vee-Rib belts allow the design of compact, vibration-free drives that are resistant to heat and abrasion for longer belt life.



## Vee-Rib™ Belt – J Section

Length Code	Outside Length (inches)	Effective Length (inches)	Metric Length Code	Number of Ribs	Stock/Non-Stock	Weight per belt (lbs.)
<b>2 Rib</b>						
*80J2	8.5	8.0	PJ203	2	N	0.01
*85J2	9.0	8.5	PJ216	2	N	0.01
*90J2	9.5	9.0	PJ229	2	N	0.01
*95J2	10.0	9.5	PJ241	2	N	0.01
*100J2	10.5	10.0	PJ254	2	N	0.01
*105J2	11.0	10.5	PJ267	2	N	0.02
*110J2	11.5	11.0	PJ279	2	N	0.02
*120J2	12.5	12.0	PJ305	2	N	0.02
*130J2	13.5	13.0	PJ330	2	N	0.02
*140J2	14.5	14.0	PJ356	2	N	0.02
*150J2	15.5	15.0	PJ381	2	N	0.02
*160J2	16.5	16.0	PJ406	2	N	0.02
*170J2	17.5	17.0	PJ432	2	N	0.02
180J2	18.5	18.0	PJ457	2	N	0.02
190J2	19.5	19.0	PJ483	2	N	0.02
200J2	20.5	20.0	PJ508	2	N	0.02
210J2	21.5	21.0	PJ533	2	N	0.02
220J2	22.5	22.0	PJ559	2	N	0.02
230J2	23.5	23.0	PJ584	2	N	0.02
240J2	24.5	24.0	PJ610	2	N	0.02
260J2	26.5	26.0	PJ660	2	N	0.03
280J2	28.5	28.0	PJ711	2	N	0.03
290J2	29.5	29.0	PJ737	2	N	0.03
300J2	30.5	30.0	PJ762	2	N	0.03
310J2	31.5	31.0	PJ787	2	N	0.03
320J2	32.5	32.0	PJ813	2	N	0.03
330J2	33.5	33.0	—	2	N	0.03
340J2	34.5	34.0	PJ864	2	N	0.03
350J2	35.5	35.0	PJ889	2	N	0.03
360J2	36.5	36.0	PJ914	2	N	0.04
370J2	37.5	37.0	PJ940	2	N	0.04
380J2	38.5	38.0	PJ965	2	N	0.04
390J2	39.5	39.0	PJ991	2	N	0.04
400J2	40.5	40.0	PJ1016	2	N	0.04
410J2	41.5	41.0	PJ1041	2	N	0.04
420J2	42.5	42.0	PJ1067	2	N	0.04
430J2	43.5	43.0	PJ1092	2	N	0.04
440J2	44.5	44.0	PJ1118	2	N	0.04
450J2	45.5	45.0	PJ1143	2	N	0.05
460J2	46.5	46.0	PJ1168	2	N	0.05
490J2	49.5	49.0	PJ1245	2	N	0.05
520J2	52.5	52.0	PJ1321	2	N	0.05
530J2	53.5	53.0	PJ1346	2	N	0.05
540J2	54.5	54.0	PJ1372	2	N	0.06
550J2	55.5	55.0	PJ1397	2	N	0.06
580J2	58.5	58.0	PJ1473	2	N	0.06
610J2	61.5	61.0	PJ1549	2	N	0.06
650J2	65.5	65.0	PJ1651	2	N	0.07
690J2	69.5	69.0	PJ1753	2	N	0.07
730J2	73.5	73.0	PJ1854	2	N	0.07
760J2	76.5	76.0	PJ1930	2	N	0.08
770J2	77.5	77.0	PJ1956	2	N	0.08
820J2	82.5	82.0	PJ2083	2	N	0.08
840J2	84.5	84.0	PJ2134	2	N	0.09
870J2	87.5	87.0	PJ2210	2	N	0.09
920J2	92.5	92.0	PJ2337	2	N	0.09
980J2	98.5	98.0	PJ2489	2	N	0.10
1000J2	100.5	100.0	PJ2540	2	N	0.10

Length Code	Outside Length (inches)	Effective Length (inches)	Metric Length Code	Number of Ribs	Stock/Non-Stock	Weight per belt (lbs.)
<b>3 Rib</b>						
*80J3	8.5	8.0	PJ203	3	N	0.02
*85J3	9.0	8.5	PJ216	3	N	0.02
*90J3	9.5	9.0	PJ229	3	N	0.02
*95J3	10.0	9.5	PJ241	3	N	0.02
*100J3	10.5	10.0	PJ254	3	N	0.02
*105J3	11.0	10.5	PJ267	3	N	0.02
*110J3	11.5	11.0	PJ279	3	N	0.02
*120J3	12.5	12.0	PJ305	3	N	0.02
*130J3	13.5	13.0	PJ330	3	N	0.03
140J3	14.5	14.0	PJ356	3	N	0.03
150J3	15.5	15.0	PJ381	3	N	0.03
160J3	16.5	16.0	PJ406	3	N	0.03
170J3	17.5	17.0	PJ432	3	N	0.03
180J3	18.5	18.0	PJ457	3	N	0.03
190J3	19.5	19.0	PJ483	3	N	0.03
200J3	20.5	20.0	PJ508	3	N	0.03
210J3	21.5	21.0	PJ533	3	N	0.03
220J3	22.5	22.0	PJ559	3	N	0.03
230J3	23.5	23.0	PJ584	3	N	0.03
240J3	24.5	24.0	PJ610	3	N	0.04
260J3	26.5	26.0	PJ660	3	N	0.04
280J3	28.5	28.0	PJ711	3	N	0.04
290J3	29.5	29.0	PJ737	3	N	0.04
300J3	30.5	30.0	PJ762	3	N	0.05
310J3	31.5	31.0	PJ787	3	N	0.05
320J3	32.5	32.0	PJ813	3	N	0.05
330J3	33.5	33.0	—	3	N	0.05
340J3	34.5	34.0	PJ864	3	N	0.05
350J3	35.5	35.0	PJ889	3	N	0.05
360J3	36.5	36.0	PJ914	3	N	0.05
370J3	37.5	37.0	PJ940	3	N	0.06
380J3	38.5	38.0	PJ965	3	N	0.06
390J3	39.5	39.0	PJ991	3	N	0.06
400J3	40.5	40.0	PJ1016	3	N	0.06
410J3	41.5	41.0	PJ1041	3	N	0.06
420J3	42.5	42.0	PJ1067	3	N	0.06
430J3	43.5	43.0	PJ1092	3	N	0.07
440J3	44.5	44.0	PJ1118	3	N	0.07
450J3	45.5	45.0	PJ1143	3	N	0.07
460J3	46.5	46.0	PJ1168	3	N	0.07
490J3	49.5	49.0	PJ1245	3	N	0.08
520J3	52.5	52.0	PJ1321	3	N	0.08
530J3	53.5	53.0	PJ1346	3	N	0.08
540J3	54.5	54.0	PJ1372	3	N	0.08
550J3	55.5	55.0	PJ1397	3	N	0.08
580J3	58.5	58.0	PJ1473	3	S	0.09
610J3	61.5	61.0	PJ1549	3	N	0.09
650J3	65.5	65.0	PJ1651	3	N	0.10
690J3	69.5	69.0	PJ1753	3	N	0.11
730J3	73.5	73.0	PJ1854	3	N	0.11
760J3	76.5	76.0	PJ1930	3	N	0.11
770J3	77.5	77.0	PJ1956	3	N	0.12
820J3	82.5	82.0	PJ2083	3	N	0.13
840J3	84.5	84.0	PJ2134	3	N	0.13
870J3	87.5	87.0	PJ2210	3	N	0.14
890J3	89.5	89.0	PJ2261	3	S	0.14
920J3	92.5	92.0	PJ2337	3	S	0.14
940J3	94.5	94.0	PJ2388	3	S	0.14

\* Contact Carlisle for availability

N = Non-stock

## Vee-Rib™ Belt – J Section (continued)

Length Code	Outside Length (inches)	Effective Length (inches)	Metric Length Code	Number of Ribs	Stock/ Non-Stock	Weight per belt (lbs.)
-------------	-------------------------	---------------------------	--------------------	----------------	------------------	------------------------

### 3 Rib

970J3	97.5	97.0	PJ2464	3	N	0.15
980J3	98.5	98.0	PJ2489	3	N	0.15
1000J3	100.5	100.0	PJ2540	3	S	0.15

### 4 Rib

*80J4	8.5	8.0	PJ203	4	N	0.03
*85J4	9.0	8.5	PJ216	4	N	0.03
*90J4	9.5	9.0	PJ229	4	N	0.03
*95J4	10.0	9.5	PJ241	4	N	0.03
*100J4	10.5	10.0	PJ254	4	N	0.03
*105J4	11.0	10.5	PJ267	4	N	0.03
*110J4	11.5	11.0	PJ279	4	N	0.03
*120J4	12.5	12.0	PJ305	4	N	0.03
*130J4	13.5	13.0	PJ330	4	N	0.04
140J4	14.5	14.0	PJ356	4	N	0.04
150J4	15.5	15.0	PJ381	4	N	0.04
160J4	16.5	16.0	PJ406	4	S	0.04
170J4	17.5	17.0	PJ432	4	N	0.04
180J4	18.5	18.0	PJ457	4	S	0.04
190J4	19.5	19.0	PJ483	4	S	0.04
200J4	20.5	20.0	PJ508	4	S	0.04
210J4	21.5	21.0	PJ533	4	N	0.04
220J4	22.5	22.0	PJ559	4	S	0.04
230J4	23.5	23.0	PJ584	4	N	0.04
240J4	24.5	24.0	PJ610	4	S	0.05
260J4	26.5	26.0	PJ660	4	S	0.05
280J4	28.5	28.0	PJ711	4	S	0.06
290J4	29.5	29.0	PJ737	4	S	0.06
300J4	30.5	30.0	PJ762	4	S	0.06
310J4	31.5	31.0	PJ787	4	S	0.06
320J4	32.5	32.0	PJ813	4	S	0.06
330J4	33.5	33.0	—	4	N	0.06
340J4	34.5	34.0	PJ864	4	S	0.07
350J4	35.5	35.0	PJ889	4	N	0.07
360J4	36.5	36.0	PJ914	4	S	0.07
370J4	37.5	37.0	PJ940	4	N	0.08
380J4	38.5	38.0	PJ965	4	S	0.08
390J4	39.5	39.0	PJ991	4	N	0.08
400J4	40.5	40.0	PJ1016	4	S	0.08
410J4	41.5	41.0	PJ1041	4	S	0.08
420J4	42.5	42.0	PJ1067	4	S	0.08
430J4	43.5	43.0	PJ1092	4	S	0.09
440J4	44.5	44.0	PJ1118	4	N	0.09
450J4	45.5	45.0	PJ1143	4	N	0.09
460J4	46.5	46.0	PJ1168	4	S	0.10
490J4	49.5	49.0	PJ1245	4	S	0.10
520J4	52.5	52.0	PJ1321	4	S	0.11
530J4	53.5	53.0	PJ1346	4	N	0.11
540J4	54.5	54.0	PJ1372	4	N	0.11
550J4	55.5	55.0	PJ1397	4	S	0.11
575J4	58.0	57.5	PJ1461	4	S	0.12
580J4	58.5	58.0	PJ1473	4	S	0.12
610J4	61.5	61.0	PJ1549	4	S	0.12
650J4	65.5	65.0	PJ1651	4	S	0.13
690J4	69.5	69.0	PJ1753	4	S	0.14
730J4	73.5	73.0	PJ1854	4	S	0.15
760J4	76.5	76.0	PJ1930	4	N	0.15
770J4	77.5	77.0	PJ1956	4	S	0.16

Length Code	Outside Length (inches)	Effective Length (inches)	Metric Length Code	Number of Ribs	Stock/ Non-Stock	Weight per belt (lbs.)
-------------	-------------------------	---------------------------	--------------------	----------------	------------------	------------------------

### 4 Rib

820J4	82.5	82.0	PJ2083	4	S	0.17
840J4	84.5	84.0	PJ2134	4	S	0.17
870J4	87.5	87.0	PJ2210	4	S	0.18
890J4	89.5	89.0	PJ2261	4	S	0.18
920J4	92.5	92.0	PJ2337	4	S	0.19
940J4	94.5	94.0	PJ2388	4	S	0.19
970J4	97.5	97.0	PJ2464	4	N	0.20
980J4	98.5	98.0	PJ2489	4	S	0.20
1000J4	100.5	100.0	PJ2540	4	S	0.20

### 5 Rib

*80J5	8.5	8.0	PJ203	5	N	0.04
*85J5	9.0	8.5	PJ216	5	N	0.04
*90J5	9.5	9.0	PJ229	5	N	0.04
*95J5	10.0	9.5	PJ241	5	N	0.04
*100J5	10.5	10.0	PJ254	5	N	0.04
*105J5	11.0	10.5	PJ267	5	N	0.04
*110J5	11.5	11.0	PJ279	5	N	0.04
*120J5	12.5	12.0	PJ305	5	N	0.04
*130J5	13.5	13.0	PJ330	5	N	0.05
140J5	14.5	14.0	PJ356	5	N	0.05
150J5	15.5	15.0	PJ381	5	N	0.05
160J5	16.5	16.0	PJ406	5	N	0.05
170J5	17.5	17.0	PJ432	5	N	0.05
180J5	18.5	18.0	PJ457	5	N	0.05
190J5	19.5	19.0	PJ483	5	N	0.05
200J5	20.5	20.0	PJ508	5	N	0.05
210J5	21.5	21.0	PJ533	5	N	0.05
220J5	22.5	22.0	PJ559	5	N	0.06
230J5	23.5	23.0	PJ584	5	N	0.06
240J5	24.5	24.0	PJ610	5	N	0.06
260J5	26.5	26.0	PJ660	5	N	0.07
280J5	28.5	28.0	PJ711	5	N	0.07
290J5	29.5	29.0	PJ737	5	N	0.07
300J5	30.5	30.0	PJ762	5	N	0.08
310J5	31.5	31.0	PJ787	5	N	0.08
320J5	32.5	32.0	PJ813	5	N	0.08
330J5	33.5	33.0	—	5	N	0.08
340J5	34.5	34.0	PJ864	5	N	0.09
350J5	35.5	35.0	PJ889	5	N	0.09
360J5	36.5	36.0	PJ914	5	N	0.09
370J5	37.5	37.0	PJ940	5	N	0.10
380J5	38.5	38.0	PJ965	5	N	0.10
390J5	39.5	39.0	PJ991	5	N	0.10
400J5	40.5	40.0	PJ1016	5	N	0.11
410J5	41.5	41.0	PJ1041	5	N	0.11
420J5	42.5	42.0	PJ1067	5	N	0.11
430J5	43.5	43.0	PJ1092	5	N	0.11
440J5	44.5	44.0	PJ1118	5	N	0.11
450J5	45.5	45.0	PJ1143	5	N	0.12
460J5	46.5	46.0	PJ1168	5	N	0.12
490J5	49.5	49.0	PJ1245	5	N	0.13
520J5	52.5	52.0	PJ1321	5	N	0.14
525J5	53.0	52.5	PJ1335	5	N	0.14
530J5	53.5	53.0	PJ1346	5	N	0.14
540J5	54.5	54.0	PJ1372	5	N	0.14
550J5	55.5	55.0	PJ1397	5	N	0.14
580J5	58.5	58.0	PJ1473	5	N	0.15
610J5	61.5	61.0	PJ1549	5	N	0.16

\* Contact Carlisle for availability  
N = Non-stock

## Vee-Rib™ Belt – J Section (continued)

Length Code	Outside Length (inches)	Effective Length (inches)	Metric Length Code	Number of Ribs	Stock/Non-Stock	Weight per belt (lbs.)
-------------	-------------------------	---------------------------	--------------------	----------------	-----------------	------------------------

Length Code	Outside Length (inches)	Effective Length (inches)	Metric Length Code	Number of Ribs	Stock/Non-Stock	Weight per belt (lbs.)
-------------	-------------------------	---------------------------	--------------------	----------------	-----------------	------------------------

### 5 Rib

650J5	65.5	65.0	PJ1651	5	N	0.17
690J5	69.5	69.0	PJ1753	5	N	0.18
730J5	73.5	73.0	PJ1854	5	N	0.19
760J5	76.5	76.0	PJ1930	5	N	0.19
770J5	77.5	77.0	PJ1956	5	N	0.20
820J5	82.5	82.0	PJ2083	5	N	0.21
840J5	84.5	84.0	PJ2134	5	N	0.22
870J5	87.5	87.0	PJ2210	5	N	0.23
920J5	92.5	92.0	PJ2337	5	N	0.24
970J5	97.5	97.0	PJ2464	5	N	0.25
980J5	98.5	98.0	PJ2489	5	N	0.25
1000J5	100.5	100.0	PJ2540	5	N	0.25

### 6 Rib

*80J6	8.5	8.0	PJ203	6	N	0.04
*85J6	9.0	8.5	PJ216	6	N	0.04
*90J6	9.5	9.0	PJ229	6	N	0.04
*95J6	10.0	9.5	PJ241	6	N	0.04
*100J6	10.5	10.0	PJ254	6	N	0.04
*105J6	11.0	10.5	PJ267	6	N	0.05
*110J6	11.5	11.0	PJ279	6	N	0.05
*120J6	12.5	12.0	PJ305	6	N	0.05
*130J6	13.5	13.0	PJ330	6	N	0.05
140J6	14.5	14.0	PJ356	6	N	0.05
150J6	15.5	15.0	PJ381	6	N	0.05
160J6	16.5	16.0	PJ406	6	N	0.05
170J6	17.5	17.0	PJ432	6	N	0.05
180J6	18.5	18.0	PJ457	6	S	0.05
190J6	19.5	19.0	PJ483	6	S	0.06
200J6	20.5	20.0	PJ508	6	S	0.06
210J6	21.5	21.0	PJ533	6	N	0.06
220J6	22.5	22.0	PJ559	6	S	0.07
230J6	23.5	23.0	PJ584	6	N	0.07
240J6	24.5	24.0	PJ610	6	S	0.07
260J6	26.5	26.0	PJ660	6	S	0.08
280J6	28.5	28.0	PJ711	6	S	0.08
290J6	29.5	29.0	PJ737	6	S	0.08
300J6	30.5	30.0	PJ762	6	S	0.09
310J6	31.5	31.0	PJ787	6	S	0.09
320J6	32.5	32.0	PJ813	6	S	0.10
330J6	33.5	33.0	—	6	N	0.10
340J6	34.5	34.0	PJ864	6	S	0.10
350J6	35.5	35.0	PJ889	6	N	0.10
360J6	36.5	36.0	PJ914	6	S	0.11
370J6	37.5	37.0	PJ940	6	N	0.11
380J6	38.5	38.0	PJ965	6	S	0.12
390J6	39.5	39.0	PJ991	6	N	0.12
400J6	40.5	40.0	PJ1016	6	S	0.13
410J6	41.5	41.0	PJ1041	6	S	0.13
420J6	42.5	42.0	PJ1067	6	S	0.13
430J6	43.5	43.0	PJ1092	6	S	0.13
440J6	44.5	44.0	PJ1118	6	N	0.13
450J6	45.5	45.0	PJ1143	6	N	0.14
460J6	46.5	46.0	PJ1168	6	S	0.14
490J6	49.5	49.0	PJ1245	6	S	0.15
520J6	52.5	52.0	PJ1321	6	S	0.16
530J6	53.5	53.0	PJ1346	6	N	0.16
540J6	54.5	54.0	PJ1372	6	N	0.17
550J6	55.5	55.0	PJ1397	6	S	0.17

### 6 Rib

580J6	58.5	58.0	PJ1473	6	S	0.18
610J6	61.5	61.0	PJ1549	6	S	0.19
650J6	65.5	65.0	PJ1651	6	S	0.20
690J6	69.5	69.0	PJ1753	6	S	0.21
730J6	73.5	73.0	PJ1854	6	S	0.22
760J6	76.5	76.0	PJ1930	6	N	0.23
770J6	77.5	77.0	PJ1956	6	S	0.24
820J6	82.5	82.0	PJ2083	6	S	0.25
840J6	84.5	84.0	PJ2134	6	S	0.26
870J6	87.5	87.0	PJ2210	6	S	0.27
890J6	89.5	89.0	PJ2261	6	S	0.28
920J6	92.5	92.0	PJ2337	6	S	0.28
970J6	97.5	97.0	PJ2464	6	N	0.29
980J6	98.5	98.0	PJ2489	6	S	0.30
1000J6	100.5	100.0	PJ2540	6	N	0.30

### 8 Rib

*80J8	8.5	8.0	PJ203	8	N	0.06
*85J8	9.0	8.5	PJ216	8	N	0.06
*90J8	9.5	9.0	PJ229	8	N	0.06
*95J8	10.0	9.5	PJ241	8	N	0.06
*100J8	10.5	10.0	PJ254	8	N	0.06
*105J8	11.0	10.5	PJ267	8	N	0.06
*110J8	11.5	11.0	PJ279	8	N	0.06
*120J8	12.5	12.0	PJ305	8	N	0.06
*130J8	13.5	13.0	PJ330	8	N	0.07
140J8	14.5	14.0	PJ356	8	N	0.07
150J8	15.5	15.0	PJ381	8	N	0.07
160J8	16.5	16.0	PJ406	8	N	0.07
170J8	17.5	17.0	PJ432	8	N	0.07
180J8	18.5	18.0	PJ457	8	N	0.07
190J8	19.5	19.0	PJ483	8	N	0.08
200J8	20.5	20.0	PJ508	8	N	0.08
210J8	21.5	21.0	PJ533	8	N	0.08
220J8	22.5	22.0	PJ559	8	N	0.09
230J8	23.5	23.0	PJ584	8	N	0.09
240J8	24.5	24.0	PJ610	8	N	0.10
260J8	26.5	26.0	PJ660	8	N	0.10
280J8	28.5	28.0	PJ711	8	N	0.11
290J8	29.5	29.0	PJ737	8	N	0.11
300J8	30.5	30.0	PJ762	8	N	0.12
310J8	31.5	31.0	PJ787	8	N	0.12
320J8	32.5	32.0	PJ813	8	N	0.13
330J8	33.5	33.0	—	8	N	0.13
340J8	34.5	34.0	PJ864	8	N	0.14
350J8	35.5	35.0	PJ889	8	N	0.14
360J8	36.5	36.0	PJ914	8	N	0.14
370J8	37.5	37.0	PJ940	8	N	0.15
380J8	38.5	38.0	PJ965	8	N	0.16
390J8	39.5	39.0	PJ991	8	N	0.16
400J8	40.5	40.0	PJ1016	8	N	0.17
410J8	41.5	41.0	PJ1041	8	N	0.17
420J8	42.5	42.0	PJ1067	8	N	0.17
430J8	43.5	43.0	PJ1092	8	N	0.18
440J8	44.5	44.0	PJ1118	8	N	0.18
450J8	45.5	45.0	PJ1143	8	N	0.18
460J8	46.5	46.0	PJ1168	8	N	0.19
490J8	49.5	49.0	PJ1245	8	N	0.20
520J8	52.5	52.0	PJ1321	8	N	0.22

## Vee-Rib™ Belt – J Section (continued)

Length Code	Outside Length (inches)	Effective Length (inches)	Metric Length Code	Number of Ribs	Stock/Non-Stock	Weight per belt (lbs.)
-------------	-------------------------	---------------------------	--------------------	----------------	-----------------	------------------------

Length Code	Outside Length (inches)	Effective Length (inches)	Metric Length Code	Number of Ribs	Stock/Non-Stock	Weight per belt (lbs.)
-------------	-------------------------	---------------------------	--------------------	----------------	-----------------	------------------------

### 8 Rib

530J8	53.5	53.0	PJ1346	8	N	0.22
540J8	54.5	54.0	PJ1372	8	N	0.22
550J8	55.5	55.0	PJ1397	8	N	0.22
580J8	58.5	58.0	PJ1473	8	N	0.24
610J8	61.5	61.0	PJ1549	8	N	0.25
650J8	65.5	65.0	PJ1651	8	N	0.26
690J8	69.5	69.0	PJ1753	8	N	0.28
730J8	73.5	73.0	PJ1854	8	N	0.30
760J8	76.5	76.0	PJ1930	8	N	0.30
770J8	77.5	77.0	PJ1956	8	N	0.32
820J8	82.5	82.0	PJ2083	8	N	0.34
840J8	84.5	84.0	PJ2134	8	N	0.34
870J8	87.5	87.0	PJ2210	8	N	0.36
890J8	89.5	89.0	PJ2261	8	N	0.37
920J8	92.5	92.0	PJ2337	8	N	0.38
940J8	94.5	94.0	PJ2388	8	N	0.38
970J8	97.5	97.0	PJ2464	8	N	0.39
980J8	98.5	98.0	PJ2489	8	N	0.40
1000J8	100.5	100.0	PJ2540	8	N	0.40

### 10 Rib

*80J10	8.5	8.0	PJ203	10	N	0.07
*85J10	9.0	8.5	PJ216	10	N	0.07
*90J10	9.5	9.0	PJ229	10	N	0.07
*95J10	10.0	9.5	PJ241	10	N	0.07
*100J10	10.5	10.0	PJ254	10	N	0.07
*105J10	11.0	10.5	PJ267	10	N	0.08
*110J10	11.5	11.0	PJ279	10	N	0.08
*120J10	12.5	12.0	PJ305	10	N	0.08
*130J10	13.5	13.0	PJ330	10	N	0.09
140J10	14.5	14.0	PJ356	10	N	0.09
150J10	15.5	15.0	PJ381	10	N	0.09
160J10	16.5	16.0	PJ406	10	N	0.09
170J10	17.5	17.0	PJ432	10	N	0.09
180J10	18.5	18.0	PJ457	10	S	0.09
190J10	19.5	19.0	PJ483	10	S	0.10
200J10	20.5	20.0	PJ508	10	S	0.10
210J10	21.5	21.0	PJ533	10	S	0.10
220J10	22.5	22.0	PJ559	10	S	0.11
230J10	23.5	23.0	PJ584	10	S	0.11
240J10	24.5	24.0	PJ610	10	S	0.12
260J10	26.5	26.0	PJ660	10	S	0.13
280J10	28.5	28.0	PJ711	10	S	0.14
290J10	29.5	29.0	PJ737	10	S	0.14
300J10	30.5	30.0	PJ762	10	S	0.15
310J10	31.5	31.0	PJ787	10	S	0.15
320J10	32.5	32.0	PJ813	10	S	0.16
330J10	33.5	33.0	—	10	S	0.16
340J10	34.5	34.0	PJ864	10	S	0.17
350J10	35.5	35.0	PJ889	10	S	0.17
360J10	36.5	36.0	PJ914	10	S	0.18
370J10	37.5	37.0	PJ940	10	N	0.19
380J10	38.5	38.0	PJ965	10	S	0.20
390J10	39.5	39.0	PJ991	10	N	0.20
400J10	40.5	40.0	PJ1016	10	S	0.21
410J10	41.5	41.0	PJ1041	10	S	0.21
420J10	42.5	42.0	PJ1067	10	S	0.21
430J10	43.5	43.0	PJ1092	10	S	0.22
440J10	44.5	44.0	PJ1118	10	N	0.22

\*Contact Carlisle for availability

### 10 Rib

450J10	45.5	45.0	PJ1143	10	N	0.23
460J10	46.5	46.0	PJ1168	10	N	0.24
490J10	49.5	49.0	PJ1245	10	N	0.25
520J10	52.5	52.0	PJ1321	10	S	0.27
530J10	53.5	53.0	PJ1346	10	N	0.27
540J10	54.5	54.0	PJ1372	10	N	0.28
550J10	55.5	55.0	PJ1397	10	S	0.28
580J10	58.5	58.0	PJ1473	10	S	0.30
610J10	61.5	61.0	PJ1549	10	S	0.31
650J10	65.5	65.0	PJ1651	10	S	0.33
690J10	69.5	69.0	PJ1753	10	S	0.35
730J10	73.5	73.0	PJ1854	10	S	0.37
760J10	76.5	76.0	PJ1930	10	N	0.38
770J10	77.5	77.0	PJ1956	10	S	0.40
820J10	82.5	82.0	PJ2083	10	S	0.42
840J10	84.5	84.0	PJ2134	10	S	0.43
870J10	87.5	87.0	PJ2210	10	S	0.45
920J10	92.5	92.0	PJ2337	10	S	0.47
940J10	94.5	94.0	PJ2388	10	N	0.48
970J10	97.5	97.0	PJ2464	10	N	0.49
980J10	98.5	98.0	PJ2489	10	S	0.50
1000J10	100.5	100.0	PJ2540	10	N	0.50

### 16 Rib

*80J16	8.5	8.0	PJ203	16	N	0.11
*85J16	9.0	8.5	PJ216	16	N	0.11
*90J16	9.5	9.0	PJ229	16	N	0.11
*95J16	10.0	9.5	PJ241	16	N	0.11
*100J16	10.5	10.0	PJ254	16	N	0.11
*105J16	11.0	10.5	PJ267	16	N	0.13
*110J16	11.5	11.0	PJ279	16	N	0.13
*120J16	12.5	12.0	PJ305	16	N	0.13
*130J16	13.5	13.0	PJ330	16	N	0.14
140J16	14.5	14.0	PJ356	16	N	0.14
150J16	15.5	15.0	PJ381	16	N	0.14
160J16	16.5	16.0	PJ406	16	N	0.14
170J16	17.5	17.0	PJ432	16	N	0.14
180J16	18.5	18.0	PJ457	16	S	0.14
190J16	19.5	19.0	PJ483	16	S	0.16
200J16	20.5	20.0	PJ508	16	S	0.16
210J16	21.5	21.0	PJ533	16	S	0.16
220J16	22.5	22.0	PJ559	16	S	0.18
230J16	23.5	23.0	PJ584	16	S	0.18
240J16	24.5	24.0	PJ610	16	S	0.19
260J16	26.5	26.0	PJ660	16	S	0.21
280J16	28.5	28.0	PJ711	16	S	0.22
290J16	29.5	29.0	PJ737	16	S	0.22
300J16	30.5	30.0	PJ762	16	S	0.24
310J16	31.5	31.0	PJ787	16	S	0.24
320J16	32.5	32.0	PJ813	16	S	0.26
330J16	33.5	33.0	—	16	S	0.26
340J16	34.5	34.0	PJ864	16	S	0.27
350J16	35.5	35.0	PJ889	16	S	0.27
360J16	36.5	36.0	PJ914	16	S	0.29
370J16	37.5	37.0	PJ940	16	N	0.30
380J16	38.5	38.0	PJ965	16	S	0.32
390J16	39.5	39.0	PJ991	16	N	0.32
400J16	40.5	40.0	PJ1016	16	S	0.34
410J16	41.5	41.0	PJ1041	16	S	0.34

N = Non-stock

## Vee-Rib™ Belt – J Section (continued)

Length Code	Outside Length (inches)	Effective Length (inches)	Metric Length Code	Number of Ribs	Stock/ Non-Stock	Weight per belt (lbs.)
<b>16 Rib</b>						
420J16	42.5	42.0	PJ1067	16	S	0.34
430J16	43.5	43.0	PJ1092	16	S	0.35
440J16	44.5	44.0	PJ1118	16	N	0.35
450J16	45.5	45.0	PJ1143	16	N	0.37
460J16	46.5	46.0	PJ1168	16	N	0.38
490J16	49.5	49.0	PJ1245	16	N	0.40
520J16	52.5	52.0	PJ1321	16	S	0.43
530J16	53.5	53.0	PJ1346	16	N	0.43
540J16	54.5	54.0	PJ1372	16	N	0.45
550J16	55.5	55.0	PJ1397	16	S	0.45
580J16	58.5	58.0	PJ1473	16	S	0.48
610J16	61.5	61.0	PJ1549	16	S	0.50
650J16	65.5	65.0	PJ1651	16	S	0.53
690J16	69.5	69.0	PJ1753	16	S	0.56
730J16	73.5	73.0	PJ1854	16	S	0.59
760J16	76.5	76.0	PJ1930	16	N	0.61
770J16	77.5	77.0	PJ1956	16	S	0.64
820J16	82.5	82.0	PJ2083	16	S	0.67
840J16	84.5	84.0	PJ2134	16	S	0.69
870J16	87.5	87.0	PJ2210	16	S	0.72
920J16	92.5	92.0	PJ2337	16	S	0.75
970J16	97.5	97.0	PJ2464	16	N	0.78
980J16	98.5	98.0	PJ2489	16	S	0.80
1000J16	100.5	100.0	PJ2540	16	N	0.80

<b>24 Rib</b>						
*80J24	8.5	8.0	PJ203	24	N	0.17
*85J24	9.0	8.5	PJ216	24	N	0.17
*90J24	9.5	9.0	PJ229	24	N	0.17
*95J24	10.0	9.5	PJ241	24	N	0.17
*100J24	10.5	10.0	PJ254	24	N	0.17
*105J24	11.0	10.5	PJ267	24	N	0.19
*110J24	11.5	11.0	PJ279	24	N	0.19
*120J24	12.5	12.0	PJ305	24	N	0.19
*130J24	13.5	13.0	PJ330	24	N	0.22
140J24	14.5	14.0	PJ356	24	N	0.22
150J24	15.5	15.0	PJ381	24	N	0.22
160J24	16.5	16.0	PJ406	24	N	0.22
170J24	17.5	17.0	PJ432	24	N	0.22
180J24	18.5	18.0	PJ457	24	N	0.22
190J24	19.5	19.0	PJ483	24	N	0.24
200J24	20.5	20.0	PJ508	24	N	0.24
210J24	21.5	21.0	PJ533	24	N	0.24
220J24	22.5	22.0	PJ559	24	N	0.26
230J24	23.5	23.0	PJ584	24	N	0.26
240J24	24.5	24.0	PJ610	24	N	0.29
260J24	26.5	26.0	PJ660	24	N	0.31
280J24	28.5	28.0	PJ711	24	N	0.34
290J24	29.5	29.0	PJ737	24	N	0.34
300J24	30.5	30.0	PJ762	24	N	0.36
310J24	31.5	31.0	PJ787	24	N	0.36
320J24	32.5	32.0	PJ813	24	N	0.38
330J24	33.5	33.0	—	24	N	0.38
340J24	34.5	34.0	PJ864	24	N	0.41
350J24	35.5	35.0	PJ889	24	N	0.41
360J24	36.5	36.0	PJ914	24	N	0.43
370J24	37.5	37.0	PJ940	24	N	0.46
380J24	38.5	38.0	PJ965	24	N	0.48
390J24	39.5	39.0	PJ991	24	N	0.48

<b>24 Rib</b>						
400J24	40.5	40.0	PJ1016	24	N	0.50
410J24	41.5	41.0	PJ1041	24	N	0.50
420J24	42.5	42.0	PJ1067	24	N	0.50
430J24	43.5	43.0	PJ1092	24	N	0.53
440J24	44.5	44.0	PJ1118	24	N	0.53
450J24	45.5	45.0	PJ1143	24	N	0.55
460J24	46.5	46.0	PJ1168	24	N	0.58
490J24	49.5	49.0	PJ1245	24	N	0.60
520J24	52.5	52.0	PJ1321	24	N	0.65
530J24	53.5	53.0	PJ1346	24	N	0.65
540J24	54.5	54.0	PJ1372	24	N	0.67
550J24	55.5	55.0	PJ1397	24	N	0.67
580J24	58.5	58.0	PJ1473	24	N	0.72
610J24	61.5	61.0	PJ1549	24	N	0.74
650J24	65.5	65.0	PJ1651	24	N	0.79
690J24	69.5	69.0	PJ1753	24	N	0.84
730J24	73.5	73.0	PJ1854	24	N	0.89
760J24	76.5	76.0	PJ1930	24	N	0.91
770J24	77.5	77.0	PJ1956	24	N	0.96
820J24	82.5	82.0	PJ2083	24	N	1.01
840J24	84.5	84.0	PJ2134	24	N	1.03
870J24	87.5	87.0	PJ2210	24	N	1.08
920J24	92.5	92.0	PJ2337	24	N	1.13
970J24	97.5	97.0	PJ2464	24	N	1.18
980J24	98.5	98.0	PJ2489	24	N	1.20
1000J24	100.5	100.0	PJ2540	24	N	1.20

<b>30 Rib</b>						
*80J30	8.5	8.0	PJ203	30	N	0.21
*85J30	9.0	8.5	PJ216	30	N	0.21
*90J30	9.5	9.0	PJ229	30	N	0.21
*95J30	10.0	9.5	PJ241	30	N	0.21
*100J30	10.5	10.0	PJ254	30	N	0.21
*105J30	11.0	10.5	PJ267	30	N	0.24
*110J30	11.5	11.0	PJ279	30	N	0.24
*120J30	12.5	12.0	PJ305	30	N	0.24
*130J30	13.5	13.0	PJ330	30	N	0.27
140J30	14.5	14.0	PJ356	30	N	0.27
150J30	15.5	15.0	PJ381	30	N	0.27
160J30	16.5	16.0	PJ406	30	N	0.27
170J30	17.5	17.0	PJ432	30	N	0.27
180J30	18.5	18.0	PJ457	30	N	0.27
190J30	19.5	19.0	PJ483	30	N	0.30
200J30	20.5	20.0	PJ508	30	N	0.30
210J30	21.5	21.0	PJ533	30	N	0.30
220J30	22.5	22.0	PJ559	30	N	0.33
230J30	23.5	23.0	PJ584	30	N	0.33
240J30	24.5	24.0	PJ610	30	N	0.36
260J30	26.5	26.0	PJ660	30	N	0.39
280J30	28.5	28.0	PJ711	30	N	0.42
290J30	29.5	29.0	PJ737	30	N	0.42
300J30	30.5	30.0	PJ762	30	N	0.45
310J30	31.5	31.0	PJ787	30	N	0.45
320J30	32.5	32.0	PJ813	30	N	0.48
330J30	33.5	33.0	—	30	N	0.48
340J30	34.5	34.0	PJ864	30	N	0.51
350J30	35.5	35.0	PJ889	30	N	0.51
360J30	36.5	36.0	PJ914	30	N	0.54
370J30	37.5	37.0	PJ940	30	N	0.57

## Vee-Rib™ Belt – J Section (continued)

Length Code	Outside Length (inches)	Effective Length (inches)	Metric Length Code	Number of Ribs	Stock/Non-Stock	Weight per belt (lbs.)
<b>30 Rib</b>						
380J30	38.5	38.0	PJ965	30	N	0.60
390J30	39.5	39.0	PJ991	30	N	0.60
400J30	40.5	40.0	PJ1016	30	N	0.63
410J30	41.5	41.0	PJ1041	30	N	0.63
420J30	42.5	42.0	PJ1067	30	N	0.63
430J30	43.5	43.0	PJ1092	30	N	0.66
440J30	44.5	44.0	PJ1118	30	N	0.66
450J30	45.5	45.0	PJ1143	30	N	0.69
460J30	46.5	46.0	PJ1168	30	N	0.72
490J30	49.5	49.0	PJ1245	30	N	0.75
520J30	52.5	52.0	PJ1321	30	N	0.81
530J30	53.5	53.0	PJ1346	30	N	0.81
540J30	54.5	54.0	PJ1372	30	N	0.84
550J30	55.5	55.0	PJ1397	30	N	0.84
580J30	58.5	58.0	PJ1473	30	N	0.90
610J30	61.5	61.0	PJ1549	30	N	0.93

Length Code	Outside Length (inches)	Effective Length (inches)	Metric Length Code	Number of Ribs	Stock/Non-Stock	Weight per belt (lbs.)
<b>30 Rib</b>						
650J30	65.5	65.0	PJ1651	30	N	0.99
690J30	69.5	69.0	PJ1753	30	N	1.05
730J30	73.5	73.0	PJ1854	30	N	1.11
760J30	76.5	76.0	PJ1930	30	N	1.14
770J30	77.5	77.0	PJ1956	30	N	1.20
820J30	82.5	82.0	PJ2083	30	N	1.26
840J30	84.5	84.0	PJ2134	30	N	1.29
870J30	87.5	87.0	PJ2210	30	N	1.35
920J30	92.5	92.0	PJ2337	30	N	1.41
970J30	97.5	97.0	PJ2464	30	N	1.47
980J30	98.5	98.0	PJ2489	30	N	1.50
1000J30	100.5	100.0	PJ2540	30	N	1.50

\*Contact Carlisle for availability

N = Non-stock

## Vee-Rib™ J Sleeves – Full Factory Width Sleeves

- Due to occasional production inconsistencies, there may be a spot in a sleeve that cannot be used. This is a normal part of dealing with full sleeves rather than cut to width belts. Carlisle will not ship belt sleeves that have more than a 10% unuseable section in the belt. 10% or less is considered to be acceptable for shipment as a complete full width sleeve.

Sleeve Part Number	Sleeve Width (ribs)	Weight (Lbs.)
<b>J Section Vee-Rib Sleeves</b>		
200J40	40	0.5
210J40	40	0.5
220J40	40	0.6
230J40	40	0.6
240J40	40	0.6
260J40	40	0.6
270J40	40	0.7
280J40	40	0.7
290J40	40	0.7
300J40	40	0.7
310J40	40	0.8
320J40	40	0.8
330J40	40	0.8
340J40	40	0.8
350J40	40	0.8
360J40	40	0.9
370J40	40	0.9
380J40	40	0.9
390J40	40	1.0
400J40	40	1.0
410J40	40	1.0
420J40	40	1.0
430J40	40	1.1

Sleeve Part Number	Sleeve Width (ribs)	Weight (Lbs.)
<b>J Section Vee-Rib Sleeves</b>		
440J40	40	1.1
450J40	40	1.1
460J40	40	1.2
470J40	40	1.2
480J40	40	1.2
490J40	40	1.2
500J40	40	1.3
520J40	40	1.3
530J40	40	1.3
540J40	40	1.4
550J40	40	1.4
580J40	40	1.5
610J40	40	1.5
650J40	40	1.6
690J40	40	1.7
730J40	40	1.8
770J40	40	1.9
840J40	40	2.0
920J40	40	2.1
980J40	40	2.2
1000J40	40	2.3

## Vee-Rib™ Belt – L Section

Length Code	Outside Length (inches)	Effective Length (inches)	Metric Length Code	Number of Ribs	Stock/ Non-Stock	Weight per belt (lbs.)
-------------	-------------------------	---------------------------	--------------------	----------------	------------------	------------------------

### 6 Rib

500L6	51.0	50.0	PL1270	6	S	0.72
510L6	52.0	51.0	PL1295	6	N	0.72
525L6	53.5	52.5	PL1334	6	N	0.72
540L6	55.0	54.0	PL1372	6	S	0.78
550L6	56.0	55.0	PL1397	6	N	0.78
560L6	57.0	56.0	PL1422	6	S	0.84
565L6	57.5	56.5	PL1435	6	N	0.84
585L6	59.5	58.5	PL1486	6	N	0.84
595L6	60.5	59.5	PL1511	6	S	0.90
615L6	62.5	61.5	PL1562	6	S	0.90
635L6	64.5	63.5	PL1613	6	S	0.96
655L6	66.5	65.5	PL1664	6	S	0.96
675L6	68.5	67.5	PL1715	6	N	1.02
695L6	70.5	69.5	PL1765	6	S	1.02
710L6	72.0	71.0	PL1803	6	N	1.08
725L6	73.5	72.5	PL1842	6	S	1.08
765L6	77.5	76.5	PL1943	6	S	1.14
780L6	79.0	78.0	PL1981	6	S	1.14
795L6	80.5	79.5	PL2019	6	S	1.20
815L6	82.5	81.5	PL2070	6	S	1.20
825L6	83.5	82.5	PL2096	6	N	1.26
840L6	85.0	84.0	PL2134	6	S	1.26
865L6	87.5	86.5	PL2197	6	S	1.32
880L6	89.0	88.0	PL2235	6	N	1.32
915L6	92.5	91.5	PL2324	6	S	1.38
930L6	94.0	93.0	PL2362	6	N	1.38
975L6	98.5	97.5	PL2477	6	S	1.44
990L6	100.0	99.0	PL2515	6	S	1.50
1065L6	107.5	106.5	PL2705	6	S	1.56
1080L6	109.0	108.0	PL2743	6	N	1.62
1120L6	113.0	112.0	PL2845	6	S	1.68
1140L6	115.0	114.0	PL2896	6	N	1.74
1150L6	116.0	115.0	PL2921	6	S	1.74
1180L6	119.0	118.0	PL2997	6	N	1.74
1215L6	122.5	121.5	PL3086	6	S	1.80
1230L6	124.0	123.0	PL3124	6	S	1.86
1295L6	130.5	129.5	PL3289	6	S	1.92
1310L6	132.0	131.0	PL3327	6	S	1.98
1375L6	138.5	137.5	PL3493	6	N	2.04
1420L6	143.0	142.0	PL3607	6	N	2.10
1455L6	146.5	145.5	PL3696	6	S	2.16
1595L6	160.5	159.5	PL4051	6	N	2.22
1650L6	166.0	165.0	PL4191	6	N	2.34
1760L6	177.0	176.0	PL4470	6	N	2.40
1820L6	183.0	182.0	PL4623	6	N	2.46
1980L6	199.0	198.0	PL5029	6	N	2.58
2120L6	213.0	212.0	PL5385	6	N	2.70
2400L6	241.0	240.0	PL6096	6	N	2.88

### 8 Rib

500L8	51.0	50.0	PL1270	8	S	0.96
510L8	52.0	51.0	PL1295	8	N	0.96
525L8	53.5	52.5	PL1334	8	N	0.96
540L8	55.0	54.0	PL1372	8	S	1.04
550L8	56.0	55.0	PL1397	8	N	1.04
560L8	57.0	56.0	PL1422	8	S	1.12
565L8	57.5	56.5	PL1435	8	N	1.12
585L8	59.5	58.5	PL1486	8	N	1.12
595L8	60.5	59.5	PL1511	8	S	1.20

Length Code	Outside Length (inches)	Effective Length (inches)	Metric Length Code	Number of Ribs	Stock/ Non-Stock	Weight per belt (lbs.)
-------------	-------------------------	---------------------------	--------------------	----------------	------------------	------------------------

### 8 Rib

615L8	62.5	61.5	PL1562	8	S	1.20
635L8	64.5	63.5	PL1613	8	S	1.28
655L8	66.5	65.5	PL1664	8	S	1.28
675L8	68.5	67.5	PL1715	8	N	1.36
695L8	70.5	69.5	PL1765	8	S	1.36
710L8	72.0	71.0	PL1803	8	N	1.44
725L8	73.5	72.5	PL1842	8	S	1.44
765L8	77.5	76.5	PL1943	8	S	1.52
780L8	79.0	78.0	PL1981	8	S	1.52
795L8	80.5	79.5	PL2019	8	S	1.60
815L8	82.5	81.5	PL2070	8	S	1.60
825L8	83.5	82.5	PL2096	8	N	1.68
840L8	85.0	84.0	PL2134	8	S	1.68
865L8	87.5	86.5	PL2197	8	S	1.76
880L8	89.0	88.0	PL2235	8	N	1.76
915L8	92.5	91.5	PL2324	8	S	1.84
930L8	94.0	93.0	PL2362	8	N	1.84
975L8	98.5	97.5	PL2477	8	S	1.92
990L8	100.0	99.0	PL2515	8	S	2.00
1065L8	107.5	106.5	PL2705	8	S	2.08
1080L8	109.0	108.0	PL2743	8	N	2.16
1120L8	113.0	112.0	PL2845	8	S	2.24
1140L8	115.0	114.0	PL2896	8	N	2.32
1150L8	116.0	115.0	PL2921	8	S	2.32
1180L8	119.0	118.0	PL2997	8	N	2.32
1215L8	122.5	121.5	PL3086	8	S	2.40
1230L8	124.0	123.0	PL3124	8	S	2.48
1295L8	130.5	129.5	PL3289	8	S	2.56
1310L8	132.0	131.0	PL3327	8	S	2.64
1375L8	138.5	137.5	PL3493	8	N	2.72
1420L8	143.0	142.0	PL3607	8	N	2.80
1455L8	146.5	145.5	PL3696	8	S	2.88
1595L8	160.5	159.5	PL4051	8	N	2.96
1650L8	166.0	165.0	PL4191	8	N	3.12
1760L8	177.0	176.0	PL4470	8	S	3.20
1820L8	183.0	182.0	PL4623	8	N	3.28
1980L8	199.0	198.0	PL5029	8	N	3.44
2120L8	213.0	212.0	PL5385	8	N	3.60
2400L8	241.0	240.0	PL6096	8	N	3.84

### 10 Rib

500L10	51.0	50.0	PL1270	10	S	1.20
510L10	52.0	51.0	PL1295	10	N	1.20
525L10	53.5	52.5	PL1334	10	N	1.20
540L10	55.0	54.0	PL1372	10	S	1.30
550L10	56.0	55.0	PL1397	10	N	1.30
560L10	57.0	56.0	PL1422	10	S	1.40
565L10	57.5	56.5	PL1435	10	N	1.40
585L10	59.5	58.5	PL1486	10	N	1.40
595L10	60.5	59.5	PL1511	10	S	1.50
615L10	62.5	61.5	PL1562	10	S	1.50
635L10	64.5	63.5	PL1613	10	S	1.60
655L10	66.5	65.5	PL1664	10	S	1.60
675L10	68.5	67.5	PL1715	10	N	1.70
695L10	70.5	69.5	PL1765	10	S	1.70
710L10	72.0	71.0	PL1803	10	N	1.80
725L10	73.5	72.5	PL1842	10	S	1.80
765L10	77.5	76.5	PL1943	10	S	1.90
780L10	79.0	78.0	PL1981	10	S	1.90

## Vee-Rib™ Belt – L Section (continued)

Length Code	Outside Length (inches)	Effective Length (inches)	Metric Length Code	Number of Ribs	Stock/ Non-Stock	Weight per belt (lbs.)
-------------	-------------------------	---------------------------	--------------------	----------------	------------------	------------------------

### 10 Rib

795L10	80.5	79.5	PL2019	10	S	2.00
815L10	82.5	81.5	PL2070	10	S	2.00
825L10	83.5	82.5	PL2096	10	N	2.10
840L10	85.0	84.0	PL2134	10	S	2.10
865L10	87.5	86.5	PL2197	10	S	2.20
880L10	89.0	88.0	PL2235	10	N	2.20
915L10	92.5	91.5	PL2324	10	S	2.30
930L10	94.0	93.0	PL2362	10	N	2.30
975L10	98.5	97.5	PL2477	10	S	2.40
990L10	100.0	99.0	PL2515	10	S	2.50
1065L10	107.5	106.5	PL2705	10	S	2.60
1080L10	109.0	108.0	PL2743	10	N	2.70
1120L10	113.0	112.0	PL2845	10	S	2.80
1140L10	115.0	114.0	PL2896	10	N	2.90
1150L10	116.0	115.0	PL2921	10	S	2.90
1180L10	119.0	118.0	PL2997	10	N	2.90
1215L10	122.5	121.5	PL3086	10	S	3.00
1230L10	124.0	123.0	PL3124	10	S	3.10
1295L10	130.5	129.5	PL3289	10	S	3.20
1310L10	132.0	131.0	PL3327	10	S	3.30
1375L10	138.5	137.5	PL3493	10	N	3.40
1420L10	143.0	142.0	PL3607	10	N	3.50
1455L10	146.5	145.5	PL3696	10	S	3.60
1595L10	160.5	159.5	PL4051	10	N	3.70
1650L10	166.0	165.0	PL4191	10	N	3.90
1760L10	177.0	176.0	PL4470	10	N	4.00
1820L10	183.0	182.0	PL4623	10	N	4.10
1980L10	199.0	198.0	PL5029	10	N	4.30
2120L10	213.0	212.0	PL5385	10	N	4.50
2400L10	241.0	240.0	PL6096	10	N	4.80

### 12 Rib

500L12	51.0	50.0	PL1270	12	S	1.44
510L12	52.0	51.0	PL1295	12	N	1.44
525L12	53.5	52.5	PL1334	12	N	1.44
540L12	55.0	54.0	PL1372	12	S	1.56
550L12	56.0	55.0	PL1397	12	N	1.56
560L12	57.0	56.0	PL1422	12	S	1.68
565L12	57.5	56.5	PL1435	12	N	1.68
585L12	59.5	58.5	PL1486	12	N	1.68
595L12	60.5	59.5	PL1511	12	S	1.80
615L12	62.5	61.5	PL1562	12	S	1.80
635L12	64.5	63.5	PL1613	12	S	1.92
655L12	66.5	65.5	PL1664	12	S	1.92
675L12	68.5	67.5	PL1715	12	N	2.04
695L12	70.5	69.5	PL1765	12	S	2.04
710L12	72.0	71.0	PL1803	12	N	2.16
725L12	73.5	72.5	PL1842	12	S	2.16
765L12	77.5	76.5	PL1943	12	S	2.28
780L12	79.0	78.0	PL1981	12	S	2.28
795L12	80.5	79.5	PL2019	12	S	2.40
815L12	82.5	81.5	PL2070	12	S	2.40
825L12	83.5	82.5	PL2096	12	N	2.52
840L12	85.0	84.0	PL2134	12	S	2.52
865L12	87.5	86.5	PL2197	12	S	2.64
880L12	89.0	88.0	PL2235	12	N	2.64
915L12	92.5	91.5	PL2324	12	S	2.76
930L12	94.0	93.0	PL2362	12	N	2.76
975L12	98.5	97.5	PL2477	12	S	2.88

Length Code	Outside Length (inches)	Effective Length (inches)	Metric Length Code	Number of Ribs	Stock/ Non-Stock	Weight per belt (lbs.)
-------------	-------------------------	---------------------------	--------------------	----------------	------------------	------------------------

### 12 Rib

990L12	100.0	99.0	PL2515	12	S	3.00
1065L12	107.5	106.5	PL2705	12	S	3.12
1080L12	109.0	108.0	PL2743	12	N	3.24
1120L12	113.0	112.0	PL2845	12	S	3.36
1140L12	115.0	114.0	PL2896	12	N	3.48
1150L12	116.0	115.0	PL2921	12	S	3.48
1180L12	119.0	118.0	PL2997	12	N	3.48
1215L12	122.5	121.5	PL3086	12	S	3.60
1230L12	124.0	123.0	PL3124	12	S	3.72
1295L12	130.5	129.5	PL3289	12	S	3.84
1310L12	132.0	131.0	PL3327	12	S	3.96
1375L12	138.5	137.5	PL3493	12	N	4.08
1420L12	143.0	142.0	PL3607	12	N	4.20
1455L12	146.5	145.5	PL3696	12	S	4.32
1595L12	160.5	159.5	PL4051	12	N	4.44
1650L12	166.0	165.0	PL4191	12	N	4.68
1760L12	177.0	176.0	PL4470	12	N	4.80
1820L12	183.0	182.0	PL4623	12	N	4.92
1980L12	199.0	198.0	PL5029	12	N	5.16
2120L12	213.0	212.0	PL5385	12	N	5.40
2400L12	241.0	240.0	PL6096	12	N	5.76

### 14 Rib

500L14	51.0	50.0	PL1270	14	S	1.68
510L14	52.0	51.0	PL1295	14	N	1.68
525L14	53.5	52.5	PL1334	14	N	1.68
540L14	55.0	54.0	PL1372	14	S	1.82
550L14	56.0	55.0	PL1397	14	N	1.82
560L14	57.0	56.0	PL1422	14	S	1.96
565L14	57.5	56.5	PL1435	14	N	1.96
585L14	59.5	58.5	PL1486	14	N	1.96
595L14	60.5	59.5	PL1511	14	S	2.10
615L14	62.5	61.5	PL1562	14	S	2.10
635L14	64.5	63.5	PL1613	14	S	2.24
655L14	66.5	65.5	PL1664	14	S	2.24
675L14	68.5	67.5	PL1715	14	N	2.38
695L14	70.5	69.5	PL1765	14	S	2.38
710L14	72.0	71.0	PL1803	14	N	2.52
725L14	73.5	72.5	PL1842	14	S	2.52
765L14	77.5	76.5	PL1943	14	S	2.66
780L14	79.0	78.0	PL1981	14	S	2.66
795L14	80.5	79.5	PL2019	14	S	2.80
815L14	82.5	81.5	PL2070	14	S	2.80
825L14	83.5	82.5	PL2096	14	N	2.94
840L14	85.0	84.0	PL2134	14	S	2.94
865L14	87.5	86.5	PL2197	14	S	3.08
880L14	89.0	88.0	PL2235	14	N	3.08
915L14	92.5	91.5	PL2324	14	S	3.22
930L14	94.0	93.0	PL2362	14	N	3.22
975L14	98.5	97.5	PL2477	14	S	3.36
990L14	100.0	99.0	PL2515	14	S	3.50
1065L14	107.5	106.5	PL2705	14	S	3.64
1080L14	109.0	108.0	PL2743	14	N	3.78
1120L14	113.0	112.0	PL2845	14	S	3.92
1140L14	115.0	114.0	PL2896	14	N	4.06
1150L14	116.0	115.0	PL2921	14	S	4.06
1180L14	119.0	118.0	PL2997	14	N	4.06
1215L14	122.5	121.5	PL3086	14	S	4.20
1230L14	124.0	123.0	PL3124	14	S	4.34

N = Non-stock

## Vee-Rib™ Belt – L Section (continued)

Length Code	Outside Length (inches)	Effective Length (inches)	Metric Length Code	Number of Ribs	Stock/Non-Stock	Weight per belt (lbs.)
-------------	-------------------------	---------------------------	--------------------	----------------	-----------------	------------------------

### 14 Rib

1295L14	130.5	129.5	PL3289	14	S	4.48
1310L14	132.0	131.0	PL3327	14	S	4.62
1375L14	138.5	137.5	PL3493	14	N	4.76
1420L14	143.0	142.0	PL3607	14	N	4.90
1455L14	146.5	145.5	PL3696	14	S	5.04
1595L14	160.5	159.5	PL4051	14	N	5.18
1650L14	166.0	165.0	PL4191	14	N	5.46
1760L14	177.0	176.0	PL4470	14	N	5.60
1820L14	183.0	182.0	PL4623	14	N	5.74
1980L14	199.0	198.0	PL5029	14	N	6.02
2120L14	213.0	212.0	PL5385	14	N	6.30
2400L14	241.0	240.0	PL6096	14	N	6.72

### 16 Rib

500L16	51.0	50.0	PL1270	16	S	1.92
510L16	52.0	51.0	PL1295	16	N	1.92
525L16	53.5	52.5	PL1334	16	N	1.92
540L16	55.0	54.0	PL1372	16	S	2.08
550L16	56.0	55.0	PL1397	16	N	2.08
560L16	57.0	56.0	PL1422	16	S	2.24
565L16	57.5	56.5	PL1435	16	N	2.24
585L16	59.5	58.5	PL1486	16	S	2.24
595L16	60.5	59.5	PL1511	16	S	2.40
615L16	62.5	61.5	PL1562	16	S	2.40
635L16	64.5	63.5	PL1613	16	S	2.56
655L16	66.5	65.5	PL1664	16	S	2.56
675L16	68.5	67.5	PL1715	16	N	2.72
695L16	70.5	69.5	PL1765	16	S	2.72
710L16	72.0	71.0	PL1803	16	N	2.88
725L16	73.5	72.5	PL1842	16	S	2.88
765L16	77.5	76.5	PL1943	16	S	3.04
780L16	79.0	78.0	PL1981	16	S	3.04
795L16	80.5	79.5	PL2019	16	S	3.20
815L16	82.5	81.5	PL2070	16	S	3.20
825L16	83.5	82.5	PL2096	16	N	3.36
840L16	85.0	84.0	PL2134	16	S	3.36
865L16	87.5	86.5	PL2197	16	S	3.52
880L16	89.0	88.0	PL2235	16	N	3.52
915L16	92.5	91.5	PL2324	16	S	3.68
930L16	94.0	93.0	PL2362	16	N	3.68
975L16	98.5	97.5	PL2477	16	S	3.84
990L16	100.0	99.0	PL2515	16	S	4.00
1065L16	107.5	106.5	PL2705	16	S	4.16
1080L16	109.0	108.0	PL2743	16	N	4.32
1120L16	113.0	112.0	PL2845	16	S	4.48
1140L16	115.0	114.0	PL2896	16	N	4.64
1150L16	116.0	115.0	PL2921	16	S	4.64
1180L16	119.0	118.0	PL2997	16	N	4.64
1215L16	122.5	121.5	PL3086	16	S	4.80
1230L16	124.0	123.0	PL3124	16	S	4.96
1295L16	130.5	129.5	PL3289	16	S	5.12
1310L16	132.0	131.0	PL3327	16	S	5.28
1375L16	138.5	137.5	PL3493	16	N	5.44
1420L16	143.0	142.0	PL3607	16	N	5.60
1455L16	146.5	145.5	PL3696	16	S	5.76
1595L16	160.5	159.5	PL4051	16	N	5.92
1650L16	166.0	165.0	PL4191	16	N	6.24
1760L16	177.0	176.0	PL4470	16	N	6.40
1820L16	183.0	182.0	PL4623	16	N	6.56

Length Code	Outside Length (inches)	Effective Length (inches)	Metric Length Code	Number of Ribs	Stock/Non-Stock	Weight per belt (lbs.)
-------------	-------------------------	---------------------------	--------------------	----------------	-----------------	------------------------

### 16 Rib

1980L16	199.0	198.0	PL5029	16	N	6.88
2120L16	213.0	212.0	PL5385	16	N	7.20
2400L16	241.0	240.0	PL6096	16	N	7.68

### 18 Rib

500L18	51.0	50.0	PL1270	18	S	2.16
510L18	52.0	51.0	PL1295	18	N	2.16
525L18	53.5	52.5	PL1334	18	N	2.16
540L18	55.0	54.0	PL1372	18	S	2.34
550L18	56.0	55.0	PL1397	18	N	2.34
560L18	57.0	56.0	PL1422	18	S	2.52
565L18	57.5	56.5	PL1435	18	N	2.52
585L18	59.5	58.5	PL1486	18	N	2.52
595L18	60.5	59.5	PL1511	18	S	2.70
615L18	62.5	61.5	PL1562	18	S	2.70
635L18	64.5	63.5	PL1613	18	S	2.88
655L18	66.5	65.5	PL1664	18	S	2.88
675L18	68.5	67.5	PL1715	18	N	3.06
695L18	70.5	69.5	PL1765	18	S	3.06
710L18	72.0	71.0	PL1803	18	N	3.24
725L18	73.5	72.5	PL1842	18	S	3.24
765L18	77.5	76.5	PL1943	18	S	3.42
780L18	79.0	78.0	PL1981	18	S	3.42
795L18	80.5	79.5	PL2019	18	S	3.60
815L18	82.5	81.5	PL2070	18	S	3.60
825L18	83.5	82.5	PL2096	18	N	3.78
840L18	85.0	84.0	PL2134	18	S	3.78
865L18	87.5	86.5	PL2197	18	S	3.96
880L18	89.0	88.0	PL2235	18	N	3.96
915L18	92.5	91.5	PL2324	18	S	4.14
930L18	94.0	93.0	PL2362	18	N	4.14
975L18	98.5	97.5	PL2477	18	S	4.32
990L18	100.0	99.0	PL2515	18	S	4.50
1065L18	107.5	106.5	PL2705	18	S	4.68
1080L18	109.0	108.0	PL2743	18	N	4.86
1120L18	113.0	112.0	PL2845	18	S	5.04
1140L18	115.0	114.0	PL2896	18	N	5.22
1150L18	116.0	115.0	PL2921	18	S	5.22
1180L18	119.0	118.0	PL2997	18	N	5.22
1215L18	122.5	121.5	PL3086	18	S	5.40
1230L18	124.0	123.0	PL3124	18	S	5.58
1295L18	130.5	129.5	PL3289	18	S	5.76
1310L18	132.0	131.0	PL3327	18	S	5.94
1375L18	138.5	137.5	PL3493	18	N	6.12
1420L18	143.0	142.0	PL3607	18	N	6.30
1455L18	146.5	145.5	PL3696	18	S	6.48
1595L18	160.5	159.5	PL4051	18	N	6.66
1650L18	166.0	165.0	PL4191	18	N	7.02
1760L18	177.0	176.0	PL4470	18	N	7.20
1820L18	183.0	182.0	PL4623	18	N	7.38
1980L18	199.0	198.0	PL5029	18	N	7.74
2120L18	213.0	212.0	PL5385	18	N	8.10
2400L18	241.0	240.0	PL6096	18	N	8.64

### 20 Rib

500L20	51.0	50.0	PL1270	20	S	2.40
510L20	52.0	51.0	PL1295	20	N	2.40
525L20	53.5	52.5	PL1334	20	N	2.40
540L20	55.0	54.0	PL1372	20	S	2.60

## Vee-Rib™ Belt – L Section (continued)

Length Code	Outside Length (inches)	Effective Length (inches)	Metric Length Code	Number of Ribs	Stock/Non-Stock	Weight per belt (lbs.)
-------------	-------------------------	---------------------------	--------------------	----------------	-----------------	------------------------

Length Code	Outside Length (inches)	Effective Length (inches)	Metric Length Code	Number of Ribs	Stock/Non-Stock	Weight per belt (lbs.)
-------------	-------------------------	---------------------------	--------------------	----------------	-----------------	------------------------

### 20 Rib

550L20	56.0	55.0	PL1397	20	N	2.60
560L20	57.0	56.0	PL1422	20	S	2.80
565L20	57.5	56.5	PL1435	20	N	2.80
585L20	59.5	58.5	PL1486	20	N	2.80
595L20	60.5	59.5	PL1511	20	S	3.00
615L20	62.5	61.5	PL1562	20	S	3.00
635L20	64.5	63.5	PL1613	20	S	3.20
655L20	66.5	65.5	PL1664	20	S	3.20
675L20	68.5	67.5	PL1715	20	N	3.40
695L20	70.5	69.5	PL1765	20	S	3.40
710L20	72.0	71.0	PL1803	20	N	3.60
725L20	73.5	72.5	PL1842	20	S	3.60
765L20	77.5	76.5	PL1943	20	S	3.80
780L20	79.0	78.0	PL1981	20	S	3.80
795L20	80.5	79.5	PL2019	20	S	4.00
815L20	82.5	81.5	PL2070	20	S	4.00
825L20	83.5	82.5	PL2096	20	N	4.20
840L20	85.0	84.0	PL2134	20	S	4.20
865L20	87.5	86.5	PL2197	20	S	4.40
880L20	89.0	88.0	PL2235	20	N	4.40
915L20	92.5	91.5	PL2324	20	S	4.60
930L20	94.0	93.0	PL2362	20	N	4.60
975L20	98.5	97.5	PL2477	20	S	4.80
990L20	100.0	99.0	PL2515	20	S	5.00
1065L20	107.5	106.5	PL2705	20	S	5.20
1080L20	109.0	108.0	PL2743	20	N	5.40
1120L20	113.0	112.0	PL2845	20	S	5.60
1140L20	115.0	114.0	PL2896	20	N	5.80
1150L20	116.0	115.0	PL2921	20	S	5.80
1180L20	119.0	118.0	PL2997	20	N	5.80
1215L20	122.5	121.5	PL3086	20	S	6.00
1230L20	124.0	123.0	PL3124	20	S	6.20
1295L20	130.5	129.5	PL3289	20	S	6.40
1310L20	132.0	131.0	PL3327	20	S	6.60
1375L20	138.5	137.5	PL3493	20	N	6.80
1420L20	143.0	142.0	PL3607	20	N	7.00
1455L20	146.5	145.5	PL3696	20	S	7.20
1595L20	160.5	159.5	PL4051	20	N	7.40
1650L20	166.0	165.0	PL4191	20	N	7.80
1760L20	177.0	176.0	PL4470	20	N	8.00
1820L20	183.0	182.0	PL4623	20	N	8.20
1980L20	199.0	198.0	PL5029	20	N	8.60
2120L20	213.0	212.0	PL5385	20	N	9.00
2400L20	241.0	240.0	PL6096	20	N	9.60

### 22 Rib

510L22	52.0	51.0	PL1295	22	N	2.64
525L22	53.5	52.5	PL1334	22	N	2.64
550L22	56.0	55.0	PL1397	22	N	2.86
565L22	57.5	56.5	PL1435	22	N	3.08
585L22	59.5	58.5	PL1486	22	N	3.08
595L22	60.5	59.5	PL1511	22	N	3.30
615L22	62.5	61.5	PL1562	22	N	3.30
675L22	68.5	67.5	PL1715	22	N	3.74
710L22	72.0	71.0	PL1803	22	N	3.96
825L22	83.5	82.5	PL2096	22	N	4.62
840L22	85.0	84.0	PL2134	22	N	4.62
880L22	89.0	88.0	PL2235	22	N	4.84
930L22	94.0	93.0	PL2362	22	N	5.06

### 22 Rib

975L22	98.5	97.5	PL2477	22	N	5.28
1080L22	109.0	108.0	PL2743	22	N	5.94
1140L22	115.0	114.0	PL2896	22	N	6.38
1180L22	119.0	118.0	PL2997	22	N	6.38
1375L22	138.5	137.5	PL3493	22	N	7.48
1420L22	143.0	142.0	PL3607	22	N	7.70
1595L22	160.5	159.5	PL4051	22	N	8.14
1650L22	166.0	165.0	PL4191	22	N	8.58
1760L22	177.0	176.0	PL4470	22	N	8.80
1820L22	183.0	182.0	PL4623	22	N	9.02
1980L22	199.0	198.0	PL5029	22	N	9.46
2120L22	213.0	212.0	PL5385	22	N	9.90
2400L22	241.0	240.0	PL6096	22	N	10.56

### 24 Rib

510L24	52.0	51.0	PL1295	24	N	2.88
525L24	53.5	52.5	PL1334	24	N	2.88
550L24	56.0	55.0	PL1397	24	N	3.12
565L24	57.5	56.5	PL1435	24	N	3.36
585L24	59.5	58.5	PL1486	24	N	3.36
615L24	62.5	61.5	PL1562	24	N	3.36
635L24	64.5	63.5	PL1613	24	N	3.84
655L24	66.5	65.5	PL1664	24	N	3.84
675L24	68.5	67.5	PL1715	24	N	4.08
710L24	72.0	71.0	PL1803	24	N	4.32
725L24	73.5	72.5	PL1842	24	N	4.32
765L24	77.5	76.5	PL1943	24	N	4.56
780L24	79.0	78.0	PL1981	24	N	4.56
795L24	80.5	79.5	PL2019	24	N	4.80
815L24	82.5	81.5	PL2070	24	N	4.80
825L24	83.5	82.5	PL2096	24	N	5.04
880L24	89.0	88.0	PL2235	24	N	5.28
915L24	92.5	91.5	PL2324	24	N	5.52
930L24	94.0	93.0	PL2362	24	N	5.52
975L24	98.5	97.5	PL2477	24	N	5.76
990L24	100.0	99.0	PL2515	24	N	6.00
1080L24	109.0	108.0	PL2743	24	N	6.48
1140L24	115.0	114.0	PL2896	24	N	6.96
1180L24	119.0	118.0	PL2997	24	N	6.96
1215L24	122.5	121.5	PL3086	24	N	7.20
1230L24	124.0	123.0	PL3124	24	N	7.44
1375L24	138.5	137.5	PL3493	24	N	8.16
1420L24	143.0	142.0	PL3607	24	N	8.40
1595L24	160.5	159.5	PL4051	24	N	8.88
1650L24	166.0	165.0	PL4191	24	N	9.36
1760L24	177.0	176.0	PL4470	24	N	9.60
1820L24	183.0	182.0	PL4623	24	N	9.84
1980L24	199.0	198.0	PL5029	24	N	10.32
2120L24	213.0	212.0	PL5385	24	N	10.80
2400L24	241.0	240.0	PL6096	24	N	11.52

### 26 Rib

510L26	52.0	51.0	PL1295	26	N	3.12
525L26	53.5	52.5	PL1334	26	N	3.12
550L26	56.0	55.0	PL1397	26	N	3.38
565L26	57.5	56.5	PL1435	26	N	3.64
585L26	59.5	58.5	PL1486	26	N	3.64
675L26	68.5	67.5	PL1715	26	N	4.42
710L26	72.0	71.0	PL1803	26	N	4.68

N = Non-stock

## Vee-Rib™ Belt – L Section (continued)

Length Code	Outside Length (inches)	Effective Length (inches)	Metric Length Code	Number of Ribs	Stock/Non-Stock	Weight per belt (lbs.)
-------------	-------------------------	---------------------------	--------------------	----------------	-----------------	------------------------

Length Code	Outside Length (inches)	Effective Length (inches)	Metric Length Code	Number of Ribs	Stock/Non-Stock	Weight per belt (lbs.)
-------------	-------------------------	---------------------------	--------------------	----------------	-----------------	------------------------

### 26 Rib

825L26	83.5	82.5	PL2096	26	N	5.46
880L26	89.0	88.0	PL2235	26	N	5.72
915L26	92.5	91.5	PL2324	26	N	5.98
930L26	94.0	93.0	PL2362	26	N	5.98
975L26	98.5	97.5	PL2477	26	N	6.24
1080L26	109.0	108.0	PL2743	26	N	7.02
1140L26	115.0	114.0	PL2896	26	N	7.54
1180L26	119.0	118.0	PL2997	26	N	7.54
1310L26	132.0	131.0	PL3327	26	N	8.58
1375L26	138.5	137.5	PL3493	26	N	8.84
1420L26	143.0	142.0	PL3607	26	N	9.10
1595L26	160.5	159.5	PL4051	26	N	9.62
1650L26	166.0	165.0	PL4191	26	N	10.14
1760L26	177.0	176.0	PL4470	26	N	10.40
1820L26	183.0	182.0	PL4623	26	N	10.66
1980L26	199.0	198.0	PL5029	26	N	11.18
2120L26	213.0	212.0	PL5385	26	N	11.70
2400L26	241.0	240.0	PL6096	26	N	12.48

### 28 Rib

510L28	52.0	51.0	PL1295	28	N	3.36
525L28	53.5	52.5	PL1334	28	N	3.36
550L28	56.0	55.0	PL1397	28	N	3.64
565L28	57.5	56.5	PL1435	28	N	3.92
585L28	59.5	58.5	PL1486	28	N	3.92
675L28	68.5	67.5	PL1715	28	N	4.76
710L28	72.0	71.0	PL1803	28	N	5.04
825L28	83.5	82.5	PL2096	28	N	5.88
880L28	89.0	88.0	PL2235	28	N	6.16
930L28	94.0	93.0	PL2362	28	N	6.44
975L28	98.5	97.5	PL2477	28	N	6.72
1080L28	109.0	108.0	PL2743	28	N	7.56
1140L28	115.0	114.0	PL2896	28	N	8.12
1180L28	119.0	118.0	PL2997	28	N	8.12
1375L28	138.5	137.5	PL3493	28	N	9.52
1420L28	143.0	142.0	PL3607	28	N	9.80
1595L28	160.5	159.5	PL4051	28	N	10.36
1650L28	166.0	165.0	PL4191	28	N	10.92
1760L28	177.0	176.0	PL4470	28	N	11.20
1820L28	183.0	182.0	PL4623	28	N	11.48
1980L28	199.0	198.0	PL5029	28	N	12.04
2120L28	213.0	212.0	PL5385	28	N	12.60
2400L28	241.0	240.0	PL6096	28	N	13.44

### 30 Rib

510L30	52.0	51.0	PL1295	30	N	3.60
525L30	53.5	52.5	PL1334	30	N	3.60
540L30	55.0	54.0	PL1372	30	N	3.90
550L30	56.0	55.0	PL1397	30	N	3.90
565L30	57.5	56.5	PL1435	30	N	4.20
585L30	59.5	58.5	PL1486	30	N	4.20
675L30	68.5	67.5	PL1715	30	N	5.10
710L30	72.0	71.0	PL1803	30	N	5.40
780L30	79.0	78.0	PL1981	30	N	5.70
825L30	83.5	82.5	PL2096	30	N	6.30
880L30	89.0	88.0	PL2235	30	N	6.60
930L30	94.0	93.0	PL2362	30	N	6.90
1080L30	109.0	108.0	PL2743	30	N	8.10
1140L30	115.0	114.0	PL2896	30	N	8.70

### 30 Rib

1180L30	119.0	118.0	PL2997	30	N	8.70
1375L30	138.5	137.5	PL3493	30	N	10.20
1420L30	143.0	142.0	PL3607	30	N	10.50
1595L30	160.5	159.5	PL4051	30	N	11.10
1650L30	166.0	165.0	PL4191	30	N	11.70
1760L30	177.0	176.0	PL4470	30	N	12.00
1820L30	183.0	182.0	PL4623	30	N	12.30
1980L30	199.0	198.0	PL5029	30	N	12.90
2120L30	213.0	212.0	PL5385	30	N	13.50
2400L30	241.0	240.0	PL6096	30	N	14.40

### 32 Rib

510L32	52.0	51.0	PL1295	32	N	3.84
525L32	53.5	52.5	PL1334	32	N	3.84
550L32	56.0	55.0	PL1397	32	N	4.16
565L32	57.5	56.5	PL1435	32	N	4.48
585L32	59.5	58.5	PL1486	32	N	4.48
655L32	66.5	65.5	PL1664	32	N	4.48
675L32	68.5	67.5	PL1715	32	N	5.44
695L32	70.5	69.5	PL1765	32	N	5.44
710L32	72.0	71.0	PL1803	32	N	5.76
725L32	73.5	72.5	PL1842	32	N	5.76
765L32	77.5	76.5	PL1943	32	N	6.08
815L32	82.5	81.5	PL2070	32	N	6.40
825L32	83.5	82.5	PL2096	32	N	6.72
865L32	87.5	86.5	PL2197	32	N	7.04
880L32	89.0	88.0	PL2235	32	N	7.04
915L32	92.5	91.5	PL2324	32	N	7.36
930L32	94.0	93.0	PL2362	32	N	7.36
975L32	98.5	97.5	PL2477	32	N	7.68
990L32	100.0	99.0	PL2415	32	N	8.00
1080L32	109.0	108.0	PL2743	32	N	8.64
1140L32	115.0	114.0	PL2896	32	N	9.28
1180L32	119.0	118.0	PL2997	32	N	9.28
1230L32	124.0	123.0	PL3124	32	N	9.92
1375L32	138.5	137.5	PL3493	32	N	10.88
1420L32	143.0	142.0	PL3607	32	N	11.20
1595L32	160.5	159.5	PL4051	32	N	11.84
1650L32	166.0	165.0	PL4191	32	N	12.48
1760L32	177.0	176.0	PL4470	32	N	12.80
1820L32	183.0	182.0	PL4623	32	N	13.12
1980L32	199.0	198.0	PL5029	32	N	13.76
2120L32	213.0	212.0	PL5385	32	N	14.40
2400L32	241.0	240.0	PL6096	32	N	15.36

N = Non-stock

## Vee-Rib™ Belt – M Section

Length Code	Outside Length (inches)	Effective Length (inches)	Metric Length Code	Number of Ribs	Weight per belt (lbs.)	Stock/ Non-Stock
-------------	-------------------------	---------------------------	--------------------	----------------	------------------------	------------------

### 6 Rib

900M6	92.0	90.0	PM2286	6	4.8	S
940M6	96.0	94.0	PM2388	6	5.0	S
990M6	101.0	99.0	PM2526	6	5.3	S
1060M6	108.0	106.0	PM2692	6	5.5	S
1115M6	113.5	111.5	PM2832	6	5.6	N
1150M6	117.0	115.0	PM2921	6	6.1	S
1185M6	120.5	118.5	PM3010	6	6.4	S
1230M6	125.0	123.0	PM3124	6	6.7	S
1310M6	133.0	131.0	PM3327	6	7.0	S
1390M6	141.0	139.0	PM3531	6	7.4	S
1470M6	149.0	147.0	PM3734	6	7.9	S
1550M6	157.0	155.0	PM3937	6	8.2	S
1610M6	163.0	161.0	PM4089	6	8.6	S
1650M6	167.0	165.0	PM4191	6	8.8	S
1760M6	178.0	176.0	PM4470	6	9.4	S
1830M6	185.0	183.0	PM4648	6	9.8	S
1980M6	200.0	198.0	PM5029	6	10.6	S
2130M6	215.0	213.0	PM5410	6	11.4	S
2410M6	243.0	241.0	PM6121	6	12.9	S
2430M6	245.0	243.0	PM6172	6	13.0	N
2560M6	258.0	256.0	PM6502	6	13.3	S
2710M6	273.0	271.0	PM6883	6	14.5	S
3010M6	303.0	301.0	PM7645	6	16.1	S
3310M6	333.0	331.0	PM8407	6	17.7	S
3610M6	363.0	361.0	PM9169	6	19.3	S
3910M6	393.0	391.0	PM9931	6	22.0	N
4210M6	423.0	421.0	PM10693	6	23.9	N
4540M6	456.0	454.0	PM11532	6	26.2	N
4810M6	483.0	481.0	PM12217	6	28.6	N
5410M6	543.0	541.0	PM13741	6	30.7	N
6010M6	603.0	601.0	PM15265	6	33.3	N

### 8 Rib

900M8	92.0	90.0	PM2286	8	6.4	S
940M8	96.0	94.0	PM2388	8	6.7	S
990M8	101.0	99.0	PM2526	8	7.0	S
1060M8	108.0	106.0	PM2692	8	7.3	S
1115M8	113.5	111.5	PM2832	8	7.5	N
1150M8	117.0	115.0	PM2921	8	8.2	S
1185M8	120.5	118.5	PM3010	8	8.5	S
1230M8	125.0	123.0	PM3124	8	9.0	S
1310M8	133.0	131.0	PM3327	8	9.4	S
1390M8	141.0	139.0	PM3531	8	9.9	S
1470M8	149.0	147.0	PM3734	8	10.5	S
1550M8	157.0	155.0	PM3937	8	10.9	S
1610M8	163.0	161.0	PM4089	8	11.4	S
1650M8	167.0	165.0	PM4191	8	11.8	S
1760M8	178.0	176.0	PM4470	8	12.6	S
1830M8	185.0	183.0	PM4648	8	13.0	S
1980M8	200.0	198.0	PM5029	8	14.1	S
2130M8	215.0	213.0	PM5410	8	15.2	S
2410M8	243.0	241.0	PM6121	8	17.2	S
2430M8	245.0	243.0	PM6172	8	17.3	N
2560M8	258.0	256.0	PM6502	8	17.8	S
2710M8	273.0	271.0	PM6883	8	19.4	S
3010M8	303.0	301.0	PM7645	8	21.4	S
3310M8	333.0	331.0	PM8407	8	23.6	S
3610M8	363.0	361.0	PM9169	8	25.8	S

Length Code	Outside Length (inches)	Effective Length (inches)	Metric Length Code	Number of Ribs	Weight per belt (lbs.)	Stock/ Non-Stock
-------------	-------------------------	---------------------------	--------------------	----------------	------------------------	------------------

### 8 Rib

3910M8	393.0	391.0	PM9931	8	29.3	N
4210M8	423.0	421.0	PM10693	8	31.9	N
4540M8	456.0	454.0	PM11532	8	34.9	N
4810M8	483.0	481.0	PM12217	8	38.1	N
5410M8	543.0	541.0	PM13741	8	40.9	N
6010M8	603.0	601.0	PM15265	8	44.4	N

### 10 Rib

900M10	92.0	90.0	PM2286	10	8.0	S
940M10	96.0	94.0	PM2388	10	8.4	S
990M10	101.0	99.0	PM2526	10	8.8	S
1060M10	108.0	106.0	PM2692	10	9.1	S
1115M10	113.5	111.5	PM2832	10	9.4	N
1150M10	117.0	115.0	PM2921	10	10.2	S
1185M10	120.5	118.5	PM3010	10	10.6	S
1230M10	125.0	123.0	PM3124	10	11.2	S
1310M10	133.0	131.0	PM3327	10	11.7	S
1390M10	141.0	139.0	PM3531	10	12.4	S
1470M10	149.0	147.0	PM3734	10	13.1	S
1550M10	157.0	155.0	PM3937	10	13.6	S
1610M10	163.0	161.0	PM4089	10	14.3	S
1650M10	167.0	165.0	PM4191	10	14.7	S
1760M10	178.0	176.0	PM4470	10	15.7	S
1830M10	185.0	183.0	PM4648	10	16.3	S
1980M10	200.0	198.0	PM5029	10	17.6	S
2130M10	215.0	213.0	PM5410	10	19.0	S
2410M10	243.0	241.0	PM6121	10	21.5	S
2430M10	245.0	243.0	PM6172	10	21.6	N
2560M10	258.0	256.0	PM6502	10	22.2	S
2710M10	273.0	271.0	PM6883	10	24.2	S
3010M10	303.0	301.0	PM7645	10	26.8	S
3310M10	333.0	331.0	PM8407	10	29.5	S
3610M10	363.0	361.0	PM9169	10	32.2	S
3910M10	393.0	391.0	PM9931	10	36.6	N
4210M10	423.0	421.0	PM10693	10	39.9	N
4540M10	456.0	454.0	PM11532	10	43.6	N
4810M10	483.0	481.0	PM12217	10	47.6	N
5410M10	543.0	541.0	PM13741	10	51.1	N
6010M10	603.0	601.0	PM15265	10	55.5	N

### 12 Rib

900M12	92.0	90.0	PM2286	12	9.6	S
940M12	96.0	94.0	PM2388	12	10.1	S
990M12	101.0	99.0	PM2526	12	10.6	S
1060M12	108.0	106.0	PM2692	12	10.9	S
1115M12	113.5	111.5	PM2832	12	11.3	N
1150M12	117.0	115.0	PM2921	12	12.2	S
1185M12	120.5	118.5	PM3010	12	12.7	S
1230M12	125.0	123.0	PM3124	12	13.4	S
1310M12	133.0	131.0	PM3327	12	14.0	S
1390M12	141.0	139.0	PM3531	12	14.9	S
1470M12	149.0	147.0	PM3734	12	15.7	S
1550M12	157.0	155.0	PM3937	12	16.3	S
1610M12	163.0	161.0	PM4089	12	17.2	S
1650M12	167.0	165.0	PM4191	12	17.6	S
1760M12	178.0	176.0	PM4470	12	18.8	S
1830M12	185.0	183.0	PM4648	12	19.6	S
1980M12	200.0	198.0	PM5029	12	21.1	S

N = Non-stock

## Vee-Rib™ Belt – M Section (continued)

Length Code	Outside Length (inches)	Effective Length (inches)	Metric Length Code	Number of Ribs	Weight per belt (lbs.)	Stock/Non-Stock
-------------	-------------------------	---------------------------	--------------------	----------------	------------------------	-----------------

### 12 Rib

2130M12	215.0	213.0	PM5410	12	22.8	S
2410M12	243.0	241.0	PM6121	12	25.8	S
2430M12	245.0	243.0	PM6172	12	25.9	N
2560M12	258.0	256.0	PM6502	12	26.6	S
2710M12	273.0	271.0	PM6883	12	29.0	S
3010M12	303.0	301.0	PM7645	12	32.2	S
3310M12	333.0	331.0	PM8407	12	35.4	S
3610M12	363.0	361.0	PM9169	12	38.6	S
3910M12	393.0	391.0	PM9931	12	43.9	N
4210M12	423.0	421.0	PM10693	12	47.9	N
4540M12	456.0	454.0	PM11532	12	52.3	N
4810M12	483.0	481.0	PM12217	12	57.1	N
5410M12	543.0	541.0	PM13741	12	61.3	N
6010M12	603.0	601.0	PM15265	12	66.6	N

### 14 Rib

900M14	92.0	90.0	PM2286	14	11.2	S
940M14	96.0	94.0	PM2388	14	11.8	S
990M14	101.0	99.0	PM2526	14	12.3	S
1060M14	108.0	106.0	PM2692	14	12.7	S
1115M14	113.5	111.5	PM2832	14	13.2	N
1150M14	117.0	115.0	PM2921	14	14.3	S
1185M14	120.5	118.5	PM3010	14	14.8	S
1230M14	125.0	123.0	PM3124	14	15.7	S
1310M14	133.0	131.0	PM3327	14	16.4	S
1390M14	141.0	139.0	PM3531	14	17.4	S
1470M14	149.0	147.0	PM3734	14	18.3	S
1550M14	157.0	155.0	PM3937	14	19.0	S
1610M14	163.0	161.0	PM4089	14	20.0	S
1650M14	167.0	165.0	PM4191	14	20.6	S
1760M14	178.0	176.0	PM4470	14	22.0	S
1830M14	185.0	183.0	PM4648	14	22.8	S
1980M14	200.0	198.0	PM5029	14	24.6	S
2130M14	215.0	213.0	PM5410	14	26.6	S
2410M14	243.0	241.0	PM6121	14	30.1	S
2430M14	245.0	243.0	PM6172	14	30.2	N
2560M14	258.0	256.0	PM6502	14	31.1	S
2710M14	273.0	271.0	PM6883	14	33.9	S
3010M14	303.0	301.0	PM7645	14	37.5	S
3310M14	333.0	331.0	PM8407	14	41.3	S
3610M14	363.0	361.0	PM9169	14	45.1	S
3910M14	393.0	391.0	PM9931	14	51.2	N
4210M14	423.0	421.0	PM10693	14	55.9	N
4540M14	456.0	454.0	PM11532	14	61.0	N
4810M14	483.0	481.0	PM12217	14	66.6	N
5410M14	543.0	541.0	PM13741	14	71.5	N
6010M14	603.0	601.0	PM15265	14	77.7	N

### 16 Rib

900M16	92.0	90.0	PM2286	16	12.8	S
940M16	96.0	94.0	PM2388	16	13.4	S
990M16	101.0	99.0	PM2526	16	14.1	S
1060M16	108.0	106.0	PM2692	16	14.6	S
1115M16	113.5	111.5	PM2832	16	15.0	N
1150M16	117.0	115.0	PM2921	16	16.3	S
1185M16	120.5	118.5	PM3010	16	17.0	S
1230M16	125.0	123.0	PM3124	16	17.9	S
1310M16	133.0	131.0	PM3327	16	18.7	S

Length Code	Outside Length (inches)	Effective Length (inches)	Metric Length Code	Number of Ribs	Weight per belt (lbs.)	Stock/Non-Stock
-------------	-------------------------	---------------------------	--------------------	----------------	------------------------	-----------------

### 16 Rib

1390M16	141.0	139.0	PM3531	16	19.8	S
1470M16	149.0	147.0	PM3734	16	21.0	S
1550M16	157.0	155.0	PM3937	16	21.8	S
1610M16	163.0	161.0	PM4089	16	22.9	S
1650M16	167.0	165.0	PM4191	16	23.5	S
1760M16	178.0	176.0	PM4470	16	25.1	S
1830M16	185.0	183.0	PM4648	16	26.1	S
1980M16	200.0	198.0	PM5029	16	28.2	S
2130M16	215.0	213.0	PM5410	16	30.4	S
2410M16	243.0	241.0	PM6121	16	34.4	S
2430M16	245.0	243.0	PM6172	16	34.6	N
2560M16	258.0	256.0	PM6502	16	35.5	S
2710M16	273.0	271.0	PM6883	16	38.7	S
3010M16	303.0	301.0	PM7645	16	42.9	S
3310M16	333.0	331.0	PM8407	16	47.2	S
3610M16	363.0	361.0	PM9169	16	51.5	S
3910M16	393.0	391.0	PM9931	16	58.6	N
4210M16	423.0	421.0	PM10693	16	63.8	N
4540M16	456.0	454.0	PM11532	16	69.8	N
4810M16	483.0	481.0	PM12217	16	76.2	N
5410M16	543.0	541.0	PM13741	16	81.8	N
6010M16	603.0	601.0	PM15265	16	88.8	N

### 18 Rib

900M18	92.0	90.0	PM2286	18	14.4	S
940M18	96.0	94.0	PM2388	18	15.1	S
990M18	101.0	99.0	PM2526	18	15.8	S
1060M18	108.0	106.0	PM2692	18	16.4	S
1115M18	113.5	111.5	PM2832	18	16.9	N
1150M18	117.0	115.0	PM2921	18	18.4	S
1185M18	120.5	118.5	PM3010	18	19.1	S
1230M18	125.0	123.0	PM3124	18	20.2	S
1310M18	133.0	131.0	PM3327	18	21.1	S
1390M18	141.0	139.0	PM3531	18	22.3	S
1470M18	149.0	147.0	PM3734	18	23.6	S
1550M18	157.0	155.0	PM3937	18	24.5	S
1610M18	163.0	161.0	PM4089	18	25.7	S
1650M18	167.0	165.0	PM4191	18	26.5	S
1760M18	178.0	176.0	PM4470	18	28.3	S
1830M18	185.0	183.0	PM4648	18	29.3	S
1980M18	200.0	198.0	PM5029	18	31.7	S
2130M18	215.0	213.0	PM5410	18	34.2	S
2410M18	243.0	241.0	PM6121	18	38.7	S
2430M18	245.0	243.0	PM6172	18	38.9	N
2560M18	258.0	256.0	PM6502	18	40.0	S
2710M18	273.0	271.0	PM6883	18	43.6	S
3010M18	303.0	301.0	PM7645	18	48.2	S
3310M18	333.0	331.0	PM8407	18	53.1	S
3610M18	363.0	361.0	PM9169	18	58.0	S
3910M18	393.0	391.0	PM9931	18	65.9	N
4210M18	423.0	421.0	PM10693	18	71.8	N
4540M18	456.0	454.0	PM11532	18	78.5	N
4810M18	483.0	481.0	PM12217	18	85.7	N
5410M18	543.0	541.0	PM13741	18	92.0	N
6010M18	603.0	601.0	PM15265	18	99.9	N

N = Non-stock

## Vee-Rib™ Belt – M Section (continued)

Length Code	Outside Length (inches)	Effective Length (inches)	Metric Length Code	Number of Ribs	Weight per belt (lbs.)	Stock/Non-Stock
-------------	-------------------------	---------------------------	--------------------	----------------	------------------------	-----------------

### 20 Rib

900M20	92.0	90.0	PM2286	20	16.0	S
940M20	96.0	94.0	PM2388	20	16.8	S
990M20	101.0	99.0	PM2526	20	17.6	S
1060M20	108.0	106.0	PM2692	20	18.2	S
1115M20	113.5	111.5	PM2832	20	18.8	N
1150M20	117.0	115.0	PM2921	20	20.4	S
1185M20	120.5	118.5	PM3010	20	21.2	S
1230M20	125.0	123.0	PM3124	20	22.4	S
1310M20	133.0	131.0	PM3327	20	23.4	S
1390M20	141.0	139.0	PM3531	20	24.8	S
1470M20	149.0	147.0	PM3734	20	26.2	S
1550M20	157.0	155.0	PM3937	20	27.2	S
1610M20	163.0	161.0	PM4089	20	28.6	S
1650M20	167.0	165.0	PM4191	20	29.4	S
1760M20	178.0	176.0	PM4470	20	31.4	S
1830M20	185.0	183.0	PM4648	20	32.6	S
1980M20	200.0	198.0	PM5029	20	35.2	S
2130M20	215.0	213.0	PM5410	20	38.0	S
2410M20	243.0	241.0	PM6121	20	43.0	S
2430M20	245.0	243.0	PM6172	20	43.2	N
2560M20	258.0	256.0	PM6502	20	44.4	S
2710M20	273.0	271.0	PM6883	20	48.4	S
3010M20	303.0	301.0	PM7645	20	53.6	S
3310M20	333.0	331.0	PM8407	20	59.0	S
3610M20	363.0	361.0	PM9169	20	64.4	S
3910M20	393.0	391.0	PM9931	20	73.2	N
4210M20	423.0	421.0	PM10693	20	79.8	N
4540M20	456.0	454.0	PM11532	20	87.2	N
4810M20	483.0	481.0	PM12217	20	95.2	N
5410M20	543.0	541.0	PM13741	20	102.2	N
6010M20	603.0	601.0	PM15265	20	111.0	N

### 22 Rib

900M22	92.0	90.0	PM2286	22	17.6	N
940M22	96.0	94.0	PM2388	22	18.5	N
990M22	101.0	99.0	PM2526	22	19.4	N
1060M22	108.0	106.0	PM2692	22	20.0	N
1115M22	113.5	111.5	PM2832	22	20.7	N
1150M22	117.0	115.0	PM2921	22	22.4	N
1185M22	120.5	118.5	PM3010	22	23.3	N
1230M22	125.0	123.0	PM3124	22	24.6	N
1310M22	133.0	131.0	PM3327	22	25.7	N
1390M22	141.0	139.0	PM3531	22	27.3	N
1470M22	149.0	147.0	PM3734	22	28.8	N
1550M22	157.0	155.0	PM3937	22	29.9	N
1610M22	163.0	161.0	PM4089	22	31.5	N
1650M22	167.0	165.0	PM4191	22	32.3	N
1760M22	178.0	176.0	PM4470	22	34.5	N
1830M22	185.0	183.0	PM4648	22	35.9	N
1980M22	200.0	198.0	PM5029	22	38.7	N
2130M22	215.0	213.0	PM5410	22	41.8	N
2410M22	243.0	241.0	PM6121	22	47.3	N
2430M22	245.0	243.0	PM6172	22	47.5	N
2560M22	258.0	256.0	PM6502	22	48.8	N
2710M22	273.0	271.0	PM6883	22	53.2	N
3010M22	303.0	301.0	PM7645	22	59.0	N
3310M22	333.0	331.0	PM8407	22	64.9	N
3610M22	363.0	361.0	PM9169	22	70.8	N

N = Non-stock

Length Code	Outside Length (inches)	Effective Length (inches)	Metric Length Code	Number of Ribs	Weight per belt (lbs.)	Stock/Non-Stock
-------------	-------------------------	---------------------------	--------------------	----------------	------------------------	-----------------

### 22 Rib

3910M22	393.0	391.0	PM9931	22	80.5	N
4210M22	423.0	421.0	PM10693	22	87.8	N
4540M22	456.0	454.0	PM11532	22	95.9	N
4810M22	483.0	481.0	PM12217	22	104.7	N
5410M22	543.0	541.0	PM13741	22	112.4	N
6010M22	603.0	601.0	PM15265	22	122.1	N

### 24 Rib

900M24	92.0	90.0	PM2286	24	19.2	N
940M24	96.0	94.0	PM2388	24	20.2	N
990M24	101.0	99.0	PM2526	24	21.1	N
1060M24	108.0	106.0	PM2692	24	21.8	N
1115M24	113.5	111.5	PM2832	24	22.6	N
1150M24	117.0	115.0	PM2921	24	24.5	N
1185M24	120.5	118.5	PM3010	24	25.4	N
1230M24	125.0	123.0	PM3124	24	26.9	N
1310M24	133.0	131.0	PM3327	24	28.1	N
1390M24	141.0	139.0	PM3531	24	29.8	N
1470M24	149.0	147.0	PM3734	24	31.4	N
1550M24	157.0	155.0	PM3937	24	32.6	N
1610M24	163.0	161.0	PM4089	24	34.3	N
1650M24	167.0	165.0	PM4191	24	35.3	N
1760M24	178.0	176.0	PM4470	24	37.7	N
1830M24	185.0	183.0	PM4648	24	39.1	N
1980M24	200.0	198.0	PM5029	24	42.2	N
2130M24	215.0	213.0	PM5410	24	45.6	N
2410M24	243.0	241.0	PM6121	24	51.6	N
2430M24	245.0	243.0	PM6172	24	51.8	N
2560M24	258.0	256.0	PM6502	24	53.3	N
2710M24	273.0	271.0	PM6883	24	58.1	N
3010M24	303.0	301.0	PM7645	24	64.3	N
3310M24	333.0	331.0	PM8407	24	70.8	N
3610M24	363.0	361.0	PM9169	24	77.3	N
3910M24	393.0	391.0	PM9931	24	87.8	N
4210M24	423.0	421.0	PM10693	24	95.8	N
4540M24	456.0	454.0	PM11532	24	104.6	N
4810M24	483.0	481.0	PM12217	24	114.2	N
5410M24	543.0	541.0	PM13741	24	122.6	N
6010M24	603.0	601.0	PM15265	24	133.2	N

### 26 Rib

900M26	92.0	90.0	PM2286	26	20.8	N
940M26	96.0	94.0	PM2388	26	21.8	N
990M26	101.0	99.0	PM2526	26	22.9	N
1060M26	108.0	106.0	PM2692	26	23.7	N
1115M26	113.5	111.5	PM2832	26	24.4	N
1150M26	117.0	115.0	PM2921	26	26.5	N
1185M26	120.5	118.5	PM3010	26	27.6	N
1230M26	125.0	123.0	PM3124	26	29.1	N
1310M26	133.0	131.0	PM3327	26	30.4	N
1390M26	141.0	139.0	PM3531	26	32.2	N
1470M26	149.0	147.0	PM3734	26	34.1	N
1550M26	157.0	155.0	PM3937	26	35.4	N
1610M26	163.0	161.0	PM4089	26	37.2	N
1650M26	167.0	165.0	PM4191	26	38.2	N
1760M26	178.0	176.0	PM4470	26	40.8	N
1830M26	185.0	183.0	PM4648	26	42.4	N
1980M26	200.0	198.0	PM5029	26	45.8	N

## Vee-Rib™ Belt – M Section (continued)

Length Code	Outside Length (inches)	Effective Length (inches)	Metric Length Code	Number of Ribs	Weight per belt (lbs.)	Stock/Non-Stock
-------------	-------------------------	---------------------------	--------------------	----------------	------------------------	-----------------

### 26 Rib

2130M26	215.0	213.0	PM5410	26	49.4	N
2410M26	243.0	241.0	PM6121	26	55.9	N
2430M26	245.0	243.0	PM6172	26	56.2	N
2560M26	258.0	256.0	PM6502	26	57.7	N
2710M26	273.0	271.0	PM6883	26	62.9	N
3010M26	303.0	301.0	PM7645	26	69.7	N
3310M26	333.0	331.0	PM8407	26	76.7	N
3610M26	363.0	361.0	PM9169	26	83.7	N
3910M26	393.0	391.0	PM9931	26	95.2	N
4210M26	423.0	421.0	PM10693	26	103.7	N
4540M26	456.0	454.0	PM11532	26	113.4	N
4810M26	483.0	481.0	PM12217	26	123.8	N
5410M26	543.0	541.0	PM13741	26	132.9	N
6010M26	603.0	601.0	PM15265	26	144.3	N

### 28 Rib

900M28	92.0	90.0	PM2286	28	22.4	N
940M28	96.0	94.0	PM2388	28	23.5	N
990M28	101.0	99.0	PM2526	28	24.6	N
1060M28	108.0	106.0	PM2692	28	25.5	N
1115M28	113.5	111.5	PM2832	28	26.3	N
1150M28	117.0	115.0	PM2921	28	28.6	N
1185M28	120.5	118.5	PM3010	28	29.7	N
1230M28	125.0	123.0	PM3124	28	31.4	N
1310M28	133.0	131.0	PM3327	28	32.8	N
1390M28	141.0	139.0	PM3531	28	34.7	N
1470M28	149.0	147.0	PM3734	28	36.7	N
1550M28	157.0	155.0	PM3937	28	38.1	N
1610M28	163.0	161.0	PM4089	28	40.0	N
1650M28	167.0	165.0	PM4191	28	41.2	N
1760M28	178.0	176.0	PM4470	28	44.0	N
1830M28	185.0	183.0	PM4648	28	45.6	N
1980M28	200.0	198.0	PM5029	28	49.3	N
2130M28	215.0	213.0	PM5410	28	53.2	N
2410M28	243.0	241.0	PM6121	28	60.2	N
2430M28	245.0	243.0	PM6172	28	60.5	N
2560M28	258.0	256.0	PM6502	28	62.2	N
2710M28	273.0	271.0	PM6883	28	67.8	N
3010M28	303.0	301.0	PM7645	28	75.0	N
3310M28	333.0	331.0	PM8407	28	82.6	N
3610M28	363.0	361.0	PM9169	28	90.2	N
3910M28	393.0	391.0	PM9931	28	102.5	N
4210M28	423.0	421.0	PM10693	28	111.7	N
4540M28	456.0	454.0	PM11532	28	122.1	N
4810M28	483.0	481.0	PM12217	28	133.3	N
5410M28	543.0	541.0	PM13741	28	143.1	N
6010M28	603.0	601.0	PM15265	28	155.4	N

### 30 Rib

900M30	92.0	90.0	PM2286	30	24.0	N
940M30	96.0	94.0	PM2388	30	25.2	N
990M30	101.0	99.0	PM2526	30	26.4	N
1060M30	108.0	106.0	PM2692	30	27.3	N
1115M30	113.5	111.5	PM2832	30	28.2	N
1150M30	117.0	115.0	PM2921	30	30.6	N
1185M30	120.5	118.5	PM3010	30	31.8	N
1230M30	125.0	123.0	PM3124	30	33.6	N
1310M30	133.0	131.0	PM3327	30	35.1	N

Length Code	Outside Length (inches)	Effective Length (inches)	Metric Length Code	Number of Ribs	Weight per belt (lbs.)	Stock/Non-Stock
-------------	-------------------------	---------------------------	--------------------	----------------	------------------------	-----------------

### 30 Rib

1390M30	141.0	139.0	PM3531	30	37.2	N
1470M30	149.0	147.0	PM3734	30	39.3	N
1550M30	157.0	155.0	PM3937	30	40.8	N
1610M30	163.0	161.0	PM4089	30	42.9	N
1650M30	167.0	165.0	PM4191	30	44.1	N
1760M30	178.0	176.0	PM4470	30	47.1	N
1830M30	185.0	183.0	PM4648	30	48.9	N
1980M30	200.0	198.0	PM5029	30	52.8	N
2130M30	215.0	213.0	PM5410	30	57.0	N
2410M30	243.0	241.0	PM6121	30	64.5	N
2430M30	245.0	243.0	PM6172	30	64.8	N
2560M30	258.0	256.0	PM6502	30	66.6	N
2710M30	273.0	271.0	PM6883	30	72.6	N
3010M30	303.0	301.0	PM7645	30	80.4	N
3310M30	333.0	331.0	PM8407	30	88.5	N
3610M30	363.0	361.0	PM9169	30	96.6	N
3910M30	393.0	391.0	PM9931	30	109.8	N
4210M30	423.0	421.0	PM10693	30	119.7	N
4540M30	456.0	454.0	PM11532	30	130.8	N
4810M30	483.0	481.0	PM12217	30	142.8	N
5410M30	543.0	541.0	PM13741	30	153.3	N
6010M30	603.0	601.0	PM15265	30	166.5	N

N = Non-stock



**Call or Email  
Maumee Hose & Belting  
for Pricing**

Ph. 419-893-7272 • Fax 419-893-4744  
720 Illinois Avenue • Maumee, Ohio 43537 USA  
Email: [info@maumeehose.com](mailto:info@maumeehose.com)  
Web: [www.maumeehose.com](http://www.maumeehose.com)